

# Butterflies and Moths of North America



[www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Thorybes pylades\*](#) Northern Cloudywing  
[\*Erynnis brizo\*](#) Sleepy Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Erynnis baptisiae\*](#) Wild Indigo Duskywing  
[\*Ancyloxypha numitor\*](#) Least Skipper  
[\*Thymelicus lineola\*](#) European Skipper  
[\*Hesperia sassacus\*](#) Indian Skipper  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Polites origenes\*](#) Crossline Skipper  
[\*Polites mystic\*](#) Long Dash  
[\*Wallengrenia egeremet\*](#) Northern Broken-Dash  
[\*Pompeius verna\*](#) Little Glassywing  
[\*Poanes hobomok\*](#) Hobomok Skipper  
[\*Poanes zabulon\*](#) Zabulon Skipper  
[\*Euphyes bimacula\*](#) Two-spotted Skipper  
[\*Euphyes vestris\*](#) Dun Skipper  
[\*Amblyscirtes vialis\*](#) Common Roadside-Skipper  
[\*Papilio polyxenes\*](#) Black Swallowtail  
[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail  
[\*Papilio canadensis X glaucus\*](#)  
[\*Papilio troilus\*](#) Spicebush Swallowtail  
[\*Pieris virginiensis\*](#) West Virginia White  
[\*Pieris rapae\*](#) Cabbage White  
[\*Colias philodice\*](#) Clouded Sulphur  
[\*Colias eurytheme\*](#) Orange Sulphur  
[\*Pyrisitia lisa\*](#) Little Yellow  
[\*Lycaena phlaeas\*](#) American Copper  
[\*Lycaena epixanthe\*](#) Bog Copper  
[\*Callophrys augustinus\*](#) Brown Elfin  
[\*Satyrium acadica\*](#) Acadian Hairstreak  
[\*Satyrium edwardsii\*](#) Edwards' Hairstreak  
[\*Satyrium calanus\*](#) Banded Hairstreak  
[\*Satyrium liparops\*](#) Striped Hairstreak  
[\*Strymon melinus\*](#) Gray Hairstreak  
[\*Cupido comyntas\*](#) Eastern Tailed-Blue  
[\*Celastrina neglecta\*](#) Summer Azure  
[\*Danaus plexippus\*](#) Monarch  
[\*Euptoieta claudia\*](#) Variegated Fritillary  
[\*Speyeria cybele\*](#) Great Spangled Fritillary  
[\*Speyeria aphrodite\*](#) Aphrodite Fritillary  
[\*Speyeria atlantis\*](#) Atlantis Fritillary  
[\*Boloria selene\*](#) Silver-bordered Fritillary  
[\*Boloria bellona\*](#) Meadow Fritillary  
[\*Limenitis arthemis\*](#) Red-spotted Purple or White Admiral  
[\*Limenitis arthemis arthemis\*](#) White Admiral  
[\*Limenitis arthemis astyanax\*](#) 'Astyanax' Red-spotted Purple

# Butterflies and Moths of North America



[\*Limenitis archippus\*](#) Viceroy  
[\*Asterocampa clyton\*](#) Tawny Emperor  
[\*Chlosyne harrisii\*](#) Harris' Checkerspot  
[\*Phyciodes tharos\*](#) Pearl Crescent  
[\*Euphydryas phaeton\*](#) Baltimore Checkerspot  
[\*Polygonia interrogationis\*](#) Question Mark  
[\*Polygonia comma\*](#) Eastern Comma  
[\*Polygonia progne\*](#) Gray Comma  
[\*Aglais milberti\*](#) Milbert's Tortoiseshell  
[\*Nymphalis vaualbum\*](#) Compton Tortoiseshell  
[\*Nymphalis antiopa\*](#) Mourning Cloak  
[\*Vanessa atalanta\*](#) Red Admiral  
[\*Vanessa cardui\*](#) Painted Lady  
[\*Vanessa virginiensis\*](#) American Lady  
[\*Enodia anhedon\*](#) Northern Pearly-eye  
[\*Satyrodes eurydice\*](#) Eyed Brown  
[\*Satyrodes appalachia\*](#) Appalachian Brown  
[\*Coenonympha tullia\*](#) Common Ringlet  
[\*Megisto cymela\*](#) Little Wood-Satyr  
[\*Cercyonis pegala\*](#) Common Wood-Nymph  
[\*Habrosyne gloriosa\*](#) Glorious Habrosyne  
[\*Drepana arcuata\*](#) Arched Hooktip  
[\*Automeris io\*](#) Io moth  
[\*Callosamia angulifera\*](#) Tuliptree silkmoth  
[\*Actias luna\*](#) Luna moth  
[\*Callosamia promethea\*](#) Promethea silkmoth  
[\*Hyalophora cecropia\*](#) Cecropia silkmoth  
[\*Antheraea polyphemus\*](#) Polyphemus moth  
[\*Dryocampa rubicunda\*](#) Rosy maple moth  
[\*Eacles imperialis\*](#) Imperial moth  
[\*Citheronia regalis\*](#) Royal Walnut Moth  
[\*Citheronia sepulcralis\*](#) Pine-devil Moth  
[\*Anisota stigma\*](#) Spiny oakworm moth  
[\*Anisota virginiensis\*](#) Pink-striped oakworm moth  
[\*Pachysphinx modesta\*](#) Modest sphinx  
[\*Agrius cingulata\*](#) Pink-spotted hawkmoth  
[\*Paonias astylus\*](#) Huckleberry sphinx  
[\*Paonias excaecata\*](#) Blinded sphinx  
[\*Amorpha juglandis\*](#) Walnut sphinx  
[\*Paonias myops\*](#) Small-eyed sphinx  
[\*Lintneria eremitus\*](#) Hermit sphinx  
[\*Lapara coniferarum\*](#) Southern pine sphinx  
[\*Manduca quinquemaculata\*](#) Five-spotted hawkmoth  
[\*Ceratomia amyntor\*](#) Elm sphinx  
[\*Smerinthus jamaicensis\*](#) Twin-spotted sphinx  
[\*Manduca sexta\*](#) Carolina sphinx  
[\*Pachylia ficus\*](#) Fig sphinx  
[\*Hemaris thysbe\*](#) Hummingbird Clearwing  
[\*Erinnyis ello\*](#) Ello sphinx  
[\*Eumorpha achemon\*](#) Achemon sphinx  
[\*Hyles gallii\*](#) Bedstraw hawkmoth  
[\*Hyles lineata\*](#) White-lined Sphinx  
[\*Amphion floridensis\*](#) Nessus sphinx  
[\*Eumorpha fasciatus\*](#) Banded sphinx  
[\*Eumorpha labruscae\*](#) Gaudy sphinx

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[\*Darapsa myron\*](#) Virginia creeper sphinx

[\*Pseudosphinx tetrio\*](#) Tetrio sphinx

[\*Eumorpha pandorus\*](#) Pandorus Sphinx

[\*Darapsa choerilus \(pholus\)\*](#) Azalea Sphinx

[\*Hemaris diffinis\*](#) Snowberry Clearwing

[\*Darapsa versicolor\*](#) Hydrangea sphinx

[\*Xylophanes tersa\*](#) Tersa Sphinx

[\*Hemaris gracilis\*](#) Slender clearwing

[\*Deidamia inscriptum\*](#) Lettered sphinx

[\*Notodonta scitipennis\*](#)

[\*Datana ministra\*](#) Yellow-necked Caterpillar Moth

[\*Macrurocampa marthesia\*](#) Mottled Prominent

[\*Ellida caniplaga\*](#) Linden Prominent

[\*Heterocampa guttivitta\*](#) Saddled Prominent

[\*Nadata gibbosa\*](#) White-dotted Prominent

[\*Schizura ipomoeae\*](#) Morning-glory Prominent

[\*Schizura leptinoides\*](#) Black-blotched Schizura

[\*Datana drexelii\*](#) Drexel's Datana

[\*Clostera inclusa\*](#) Angle-Lined Prominent

[\*Odontosia elegans\*](#) Elegant Prominent

[\*Cerma cerintha\*](#) Tufted Bird-Dropping Moth

[\*Ponometia erastrioides\*](#) Small Bird-dropping Moth

[\*Leuconycta diptheroides\*](#) Green Leuconycta

[\*Protodeltote muscosula\*](#) Large Mossy Lithacodia

[\*Acronicta dactylina\*](#) Fingered Dagger Moth

[\*Marimatha nigrofimbria\*](#) Black-bordered Lemon Moth

[\*Lithacodia musta\*](#) Small Mossy Lithacodia

[\*Polygrammate hebraeicum\*](#) The Hebrew

[\*Acronicta hasta\*](#) Speared Dagger Moth

[\*Acronicta morula\*](#) Ochre Dagger Moth

[\*Acronicta laetifica\*](#) Pleasant Dagger Moth

[\*Acronicta funeralis\*](#) Funerary Dagger Moth

[\*Loscopia velata\*](#) Veiled Ear Moth

[\*Spodoptera ornithogalli\*](#) Yellow-striped Armyworm Moth

[\*Anathix ralla\*](#) Dotted Sallow

[\*Condica vecors\*](#) Dusky Groundling

[\*Balsa tristrigella\*](#) Three-lined Balsa

[\*Achatodes zaeae\*](#) Elder Shoot Borer Moth

[\*Balsa labecula\*](#) White-blotched Balsa

[\*Callopietria mollissima\*](#) Pink-shaded Fern Moth

[\*Chytonix palliatricula\*](#) Cloaked Marvel

[\*Cucullia convexipennis\*](#) Brown-hooded Owlet

[\*Sunira bicolorago\*](#) Bicolored Sallow

[\*Lithophane tepida\*](#)

[\*Pseudeustrotia carneola\*](#) Pink-barred Pseudeustrotia

[\*Maliattha synochitis\*](#) Black-dotted Maliattha

[\*Sympistis dentata\*](#) Toothed Aphaereta

[\*Anagrapha falcifera\*](#) Celery Looper Moth

[\*Chrysodeixis includens\*](#) Soybean Looper Moth

[\*Abrostola urentis\*](#) Variegated Brindle Moth

[\*Trichoplusia ni\*](#) Cabbage Looper Moth

[\*Autographa precationis\*](#) The Common Looper Moth

[\*Feralia major\*](#) Major Sallow

[\*Morrisonia latex\*](#) Fluid Arches

[\*Elaphria versicolor\*](#) Variegated Midget



# Butterflies and Moths of North America



- [\*Orthodes majuscula\*](#) Rustic Quaker  
[\*Mythimna unipuncta\*](#) Armyworm Moth  
[\*Lacinipolia renigera\*](#) Bristly Cutworm Moth  
[\*Elaphria grata\*](#) Grateful Midget  
[\*Leucania inermis\*](#) Unarmed Wainscot  
[\*Sideridis maryx\*](#) The Maroonwing  
[\*Ochropleura implecta\*](#) American Flame-shouldered Dart  
[\*Agrotis ipsilon\*](#) Ipsilon Dart  
[\*Noctua pronuba\*](#) European Yellow Underwing  
[\*Xestia c-nigrum/dolosa complex\*](#)  
[\*Feltia subgothica\*](#) Subgothic Dart  
[\*Raphia frater\*](#) The Brother Moth  
[\*Helicoverpa zea\*](#) Corn Earworm Moth  
[\*Pyrrhia exprimens\*](#) Purple-Lined Sallow  
[\*Schinia florida\*](#) Primrose Moth  
[\*Eudryas grata\*](#) Beautiful Wood-nymph  
[\*Pyrrharctia isabella\*](#) Isabella Tiger Moth or Banded Woollybear  
[\*Cycnia tenera\*](#) Delicate Cycnia or Dogbane Tiger Moth  
[\*Haploa clymene\*](#) Clymene Moth  
[\*Halysidota sp.\*](#)  
[\*Cisseps fulvicollis\*](#) Yellow-collared Scape Moth  
[\*Grammia anna\*](#) Anna Tiger Moth  
[\*Hypoprepia fucosa\*](#) Painted Lichen Moth  
[\*Halysidota tessellaris\*](#) Banded Tussock Moth or Pale Tiger Moth  
[\*Palthis angulalis\*](#) Dark-spotted Palthis Moth  
[\*Renia adspersgillus\*](#) Speckled Renia Moth  
[\*Chytolita morbidalis\*](#) Morbid Owlet Moth  
[\*Phalaenophana pyramusalis\*](#) Dark-banded Owlet Moth  
[\*Idia aemula\*](#) Common Idia Moth  
[\*Renia flavipunctalis\*](#) Yellow-spotted Renia Moth  
[\*Zanclognatha pedipilalis\*](#) Grayish Zanclognatha Moth  
[\*Palthis asopialis\*](#) Faint-spotted Palthis Moth  
[\*Zanclognatha ochreipennis\*](#) Wavy-lined Zanclognatha Moth  
[\*Hypena baltimoralis\*](#) Baltimore Bomolocha Moth  
[\*Hypena scabra\*](#) Green Cloverworm Moth  
[\*Allotria elonympha\*](#) False Underwing  
[\*Catocala flebilis\*](#) Mourning Underwing  
[\*Caenurgina crassiuscula\*](#) Clover Looper Moth  
[\*Caenurgina erechtea\*](#) Forage Looper Moth  
[\*Catocala connubialis\*](#) Connubial Underwing  
[\*Panopoda rufimargo\*](#) Red-lined Panopoda  
[\*Catocala ilia\*](#) Iliia Underwing  
[\*Catocala unijuga\*](#) Once-married Underwing  
[\*Catocala ultronia\*](#) Ultronia Underwing  
[\*Parallela bistriaris\*](#) Maple Looper Moth  
[\*Pangraptia decoralis\*](#) Decorated Owlet  
[\*Rivula propinqualis\*](#) Spotted Grass Moth  
[\*Orgyia leucostigma\*](#) White-marked Tussock Moth  
[\*Epicallima argenticinctella\*](#)  
[\*Monopis pavlovskii\*](#)  
[\*Machimia tentoriferella\*](#) Gold-striped Leaf-tier Moth  
[\*Dichomeris flavocostella\*](#) Cream-bordered Dichomeris Moth  
[\*Atteva aurea\*](#) Ailanthus Webworm Moth  
[\*Synanthedon exitiosa\*](#) Peachtree Borer Moth  
[\*Epiblema otiosana\*](#) Bidens Borer Moth

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[\*Cydia pomonella\*](#) Codling Moth

[\*Phaneta formosana\*](#) Beautiful Phaneta Moth

[\*Eucosma similiana\*](#)

[\*Endothenia hebesana\*](#) Verbena Bud Moth

[\*Epiblema glenni\*](#)

[\*Ecdytolopa insitificana\*](#) Locust Twig Borer Moth

[\*Choristoneura fumiferana\*](#)

[\*Archips purpurana\*](#)

[\*Cenopis pettitana\*](#) Maple-basswood Leafroller Moth

[\*Choristoneura rosaceana\*](#) Oblique-banded Leafroller Moth

[\*Pandemis limitata\*](#) Three-lined Leafroller Moth

[\*Choristoneura fractivittana\*](#)

[\*Cenopis diluticostana\*](#)

[\*Argyrotaenia quercifoliana\*](#) Oak Leafroller

[\*Acleris subnivana\*](#)

[\*Coelostathma discopunctana\*](#) The Batman Moth

[\*Platynota exasperatana\*](#) Exasperating Platynota

[\*Argyrotaenia mariana\*](#) Gray-banded Leafroller

[\*Apoda y inversum\*](#) Yellow-collared Slug Moth

[\*Adoneta spinuloides\*](#) Purple-crested Slug Moth

[\*Tortricidia flexuosa\*](#)

[\*Tortricidia testacea\*](#) Warm-chevroned Moth

[\*Prolimacodes badia\*](#) Skiff Moth

[\*Phobetron pithecium\*](#) Hag Moth

[\*Parasa chloris\*](#) Smaller Parasa

[\*Acharia stimulea\*](#) Saddleback Caterpillar Moth

[\*Lithacodes fasciola\*](#) Yellow-shouldered Slug Moth

[\*Apoda biguttata\*](#) Shagreened Slug Moth

[\*Elophila gyralis\*](#)

[\*Microcrambus elegans\*](#) Elegant Grass-veneer

[\*Crambus agitatellus\*](#)

[\*Crambus albellus\*](#) Small White Grass-veneer

[\*Pediasia trisecta\*](#) Sod Webworm Moth

[\*Fissicrambus mutabilis\*](#) Changeable Grass-veneer

[\*Evergestis pallidata\*](#) Purple-backed Cabbageworm

[\*Pyrausta signatalis\*](#)

[\*Loxostegopsis merrickalis\*](#)

[\*Palpita magniferalis\*](#) Splendid Palpita

[\*Sitochroa palealis\*](#)

[\*Udea rubigalis\*](#) Celery Leaftier Moth

[\*Desmia funeralis/maculalis\*](#)

[\*Apogeshna stenialis\*](#)

[\*Ostrinia nubilalis\*](#) European Corn Borer Moth

[\*Pyrausta bicoloralis\*](#)

[\*Anania coronata\*](#)

[\*Blepharomastix ranalis\*](#)

[\*Diacme adipaloides\*](#)

[\*Pyrausta acronalis\*](#)

[\*Donacaula melinellus\*](#)

[\*Scoparia biplagiialis\*](#)

[\*Scoparia cinereomedia\*](#)

[\*Condylolomia participalis\*](#)

[\*Galasa nigrinodis\*](#)

[\*Pococera expandens\*](#) Double-humped Pococera Moth

[\*Oneida lunulalis\*](#) Orange-tufted Oneida Moth

# Butterflies and Moths of North America



[\*Pococera asperatella\*](#) Maple Webworm Moth

[\*Epipaschia superatalis\*](#) Dimorphic Macalla Moth

[\*Aphomia sociella\*](#) Bee Moth

[\*Sciotia virgatella\*](#)

[\*Pyralis farinalis\*](#) Meal Moth

[\*Aglossa disciferalis\*](#) Pink-masked Pyralid Moth

[\*Hypsopygia olinalis\*](#)

[\*Tetracis cachexiata\*](#) White Slant-line

[\*Hypagyrtis unipunctata\*](#) One-Spotted Variant

[\*Epimecis hortaria\*](#) Tulip-Tree Beauty

[\*Nematocampa resistaria\*](#) Horned Spanworm Moth

[\*Plagodis fervidaria\*](#) Fervid Plagodis

[\*Macaria notata\*](#) Birch Angle

[\*Tetracis crocallata\*](#) Yellow Slant-line

[\*Melanolophia canadaria\*](#) Canadian melanolophia

[\*Melanolophia signataria\*](#) Signate Melanolophia

[\*Petrophora subaequaria\*](#) Northern Petrophora

[\*Probole amicaria\*](#)

[\*Patalene olyzonaria\*](#) Juniper Geometer

[\*Speranza pustularia\*](#) Lesser Maple Spanworm Moth

[\*Besma quercivoraria\*](#) Oak Besma

[\*Plagodis pulveraria\*](#) American Barred Umber

[\*Iridopsis larvaria\*](#) Bent-Lined Gray

[\*Xanthotype sp.\*](#)

[\*Plagodis phlogosaria\*](#) Straight-lined Plagodis

[\*Phaeoura quernaria\*](#) Oak Beauty

[\*Eutrapela clemataria\*](#) Curved-Toothed Geometer

[\*Campaea perlata\*](#) Pale Beauty

[\*Macaria bisignata\*](#) Red-headed inchworm

[\*Protoboarmia porcelaria\*](#) Porcelain Gray

[\*Ectropis crepuscularia\*](#) The Small Engrailed

[\*Plagodis alcoolaria\*](#) Hollow-spotted Plagodis

[\*Nemoria bistriaria\*](#) Red-fringed Emerald

[\*Nemoria mimosaria\*](#) White-fringed Emerald

[\*Chlorochlamys chloroleucaria\*](#) Blackberry Looper Moth

[\*Costaconvexa centrostrigaria\*](#) The Bent-line Carpet

[\*Euphyia intermediata\*](#) Sharp-angled Carpet

[\*Operophtera bruceata\*](#) The Bruce Spanworm

[\*Hydrelia inornata\*](#)

[\*Xanthorhoe ferrugata\*](#) Red Twin-spot

[\*Trichodezia albovittata\*](#) White-striped Black

[\*Eulithis sp.\*](#)

[\*Epirrhoe alternata\*](#) White-banded Toothed Carpet

[\*Coryphista meadii\*](#) Barberry Geometer

[\*Dyspteris abortivaria\*](#) The Bad-wing

[\*Eupithecia miserulata\*](#)

[\*Heterophleps triguttaria\*](#) Three-spotted Fillip

[\*Pasiphila rectangulata\*](#) Green Pug

[\*Orthonama obstipata\*](#) The Gem

[\*Haematopis grataria\*](#) Chickweed Geometer

[\*Cyclophora packardii\*](#) Packard's Wave

[\*Scopula limboundata\*](#) Large Lace-border

[\*Idaea dimidiata\*](#) Single-dotted Wave

[\*Lacosoma chiridota\*](#) Scalloped Sack-bearer

[\*Phyllodesma americana\*](#) Lappet Moth

www.butterfliesandmoths.org