

# Butterflies and Moths of North America



[www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[\*Erynnis icelus\*](#) Dreamy Duskywing  
[\*Erynnis afranius\*](#) Afranius Duskywing  
[\*Erynnis persius\*](#) Persius Duskywing  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Poanes hobomok\*](#) Hobomok Skipper  
[\*Papilio machaon\*](#) Old World Swallowtail  
[\*Papilio zelicaon\*](#) Anise Swallowtail  
[\*Papilio canadensis\*](#) Canadian Tiger Swallowtail  
[\*Pieris rapae\*](#) Cabbage White  
[\*Pontia occidentalis\*](#) Western White  
[\*Colias philodice\*](#) Clouded Sulphur  
[\*Colias eurytheme\*](#) Orange Sulphur  
[\*Lycaena dione\*](#) Gray Copper  
[\*Lycaena hylus\*](#) Bronze Copper  
[\*Lycaena helloides\*](#) Purplish Copper  
[\*Callophrys augustinus\*](#) Brown Elfin  
[\*Callophrys polios\*](#) Hoary Elfin  
[\*Callophrys eryphon\*](#) Western Pine Elfin  
[\*Satyrium liparops\*](#) Striped Hairstreak  
[\*Strymon melinus\*](#) Gray Hairstreak  
[\*Cupido amyntula\*](#) Western Tailed-Blue  
[\*Glaucopsyche lygdamus\*](#) Silvery Blue  
[\*Plebejus saepiolus\*](#) Greenish Blue  
[\*Plebejus acmon\*](#) Acmon Blue  
[\*Plebejus glandon rusticus\*](#) 'Rustic' Arctic Blue  
[\*Danaus plexippus\*](#) Monarch  
[\*Euptoieta claudia\*](#) Variegated Fritillary  
[\*Speyeria hesperis\*](#) Northwestern Fritillary  
[\*Boloria bellona\*](#) Meadow Fritillary  
[\*Boloria freija\*](#) Freija Fritillary  
[\*Limenitis arthemis\*](#) Red-spotted Purple or White Admiral  
[\*Limenitis arthemis rubrofasciata\*](#) White Admiral  
[\*Limenitis arthemis arthemis\*](#) White Admiral  
[\*Limenitis archippus\*](#) Viceroy  
[\*Phyciodes tharos\*](#) Pearl Crescent  
[\*Phyciodes cocyta\*](#) Northern Crescent  
[\*Polygonia satyrus\*](#) Satyr Comma  
[\*Polygonia gracilis\*](#) Hoary Comma  
[\*Aglais milberti\*](#) Milbert's Tortoiseshell  
[\*Nymphalis vaualbum\*](#) Compton Tortoiseshell  
[\*Nymphalis antiopa\*](#) Mourning Cloak  
[\*Vanessa atalanta\*](#) Red Admiral  
[\*Vanessa cardui\*](#) Painted Lady  
[\*Enodia anthedon\*](#) Northern Pearly-eye  
[\*Coenonympha tullia\*](#) Common Ringlet  
[\*Erebia epipsodea\*](#) Common Alpine  
[\*Cercyonis pegala\*](#) Common Wood-Nymph

# Butterflies and Moths of North America



[\*Hemileuca hera\*](#) Hera buckmoth

[\*Hyalophora gloveri\*](#) Glover's Silkmoth

[\*Antheraea polyphemus\*](#) Polyphemus moth

[\*Hyalophora columbia\*](#) Columbia silkmoth

[\*Actias luna\*](#) Luna moth

[\*Hyalophora cecropia\*](#) Cecropia silkmoth

[\*Pachysphinx modesta\*](#) Modest sphinx

[\*Paonias myops\*](#) Small-eyed sphinx

[\*Paonias excaecata\*](#) Blinded sphinx

[\*Smerinthus cerisyi\*](#) One-eyed sphinx

[\*Ceratomia amyntor\*](#) Elm sphinx

[\*Pachysphinx occidentalis\*](#) Big poplar sphinx

[\*Sphinx chersis\*](#) Great ash sphinx

[\*Ceratomia undulosa\*](#) Waved sphinx

[\*Sphinx drupiferarum\*](#) Wild cherry sphinx

[\*Smerinthus jamaicensis\*](#) Twin-spotted sphinx

[\*Hyles lineata\*](#) White-lined Sphinx

[\*Hyles gallii\*](#) Bedstraw hawkmoth

[\*Hyles euphorbiae\*](#) Spurge hawkmoth

[\*Eumorpha achemon\*](#) Achemon sphinx

[\*Hemaris thysbe\*](#) Hummingbird Clearwing

[\*Pheosia rimosa\*](#) Black-rimmed Prominent

[\*Clostera albosigma\*](#) Sigmoid Prominent

[\*Gluphisia septentrionis\*](#) Common Gluphisia

[\*Simyra insularis\*](#) Henry's Marsh Moth

[\*Acronicta fragilis\*](#) Fragile Dagger Moth

[\*Harrisimemna trisignata\*](#) Harris' Three Spot

[\*Amphipyra tragopoginis\*](#)

[\*Acronicta americana\*](#) American Dagger Moth

[\*Amphipyra pyramidoides\*](#) Copper Underwing

[\*Hydraecia perobliqua\*](#)

[\*Apamea sordens finitima\*](#) Bordered Apamea

[\*Hyppa xylinoides\*](#) Common Hyppa

[\*Amphipoea americana\*](#) American Ear Moth

[\*Cucullia intermedia\*](#) Intermediate Cucullia

[\*Fishia discors\*](#)

[\*Pseudeustrotia carneola\*](#) Pink-barred Pseudeustrotia

[\*Autographa precationis\*](#) The Common Looper Moth

[\*Trichoplusia ni\*](#) Cabbage Looper Moth

[\*Autographa californica\*](#)

[\*Autographa pseudogamma\*](#)

[\*Syngrapha octoscripta\*](#) Dusky Silver Y

[\*Polychrysis esmeralda\*](#)

[\*Anagrapha falcifera\*](#) Celery Looper Moth

[\*Orthosia revicta\*](#) Subdued Quaker

[\*Nephelodes minians\*](#) Bronzed Cutworm Moth

[\*Anarta trifolii\*](#) The Nutmeg

[\*Mythimna unipuncta\*](#) Armyworm Moth

[\*Lacinipolia olivacea\*](#) Olive Arches

[\*Lacanobia atlantica\*](#)

[\*Crocigrapha normani\*](#) Norman's Quaker

[\*Egira dolosa\*](#)

[\*Orthosia hibisci\*](#) Speckled Green Fruitworm Moth

[\*Cerastis salicarum\*](#)

[\*Euxoa ochrogaster\*](#) Redbacked Cutworm

# Butterflies and Moths of North America



[Peridroma sabcia](#) Variegated Cutworm Moth

[Helotropha reniformis](#) Reniform Celaena Moth

[Euxoa tessellata](#) Tessellate Dart

[Diarsia rosaria](#)

[Hyppa contrasta](#)

[Euxoa divergens](#) Divergent Dart

[Spaelotis clandestina](#) Clandestine Dart

[Euxoa obeliscoides](#) Obelisk Dart Moth

[Apamea niveivenosa](#) Snowy-veined Apamea

[Euxoa declarata](#)

[Abagrotis hermina](#)

[Feltia jaculifera](#) Dingy Cutworm Moth

[Noctua pronuba](#) European Yellow Underwing

[Oligia illocata](#) Wandering Brocade

[Apamea amputatrix](#) Yellow-headed Cutworm Moth

[Euxoa messoria](#) Reaper Dart

[Xestia c-nigrum](#)

[Euxoa velleripennis](#) Fleece-winged Dart

[Lateroligia ophiogramma](#)

[Caradrina montana](#) Civil Rustic

[Apamea devastator](#) Glassy Cutworm

[Litholomia napaea](#)

[Heliiothis phloxiphaga](#)

[Pyrrhia exprimens](#) Purple-Lined Sallow

[Alypia langtoni](#) Langston's Forester

[Alypia octomaculata](#) Eight-spotted Forester

[Arctia caja](#) Garden Tiger Moth or Great Tiger Moth

[Spilosoma virginica](#) Virginian Tiger Moth or Yellow Woollybear Moth

[Platarctia parthenos](#) St. Lawrence Tiger Moth

[Hypercompe permaculata](#)

[Spilosoma congrua](#) Agreeable Tiger Moth

[Phragmatobia fuliginosa](#) Ruby Tiger Moth

[Lophocampa maculata](#) Spotted Tussock Moth or Yellow-Spotted Tiger Moth

[Gnophaela vermiculata](#)

[Haploa lecontei](#) Leconte's Haploa

[Pyrrharctia isabella](#) Isabella Tiger Moth or Banded Woollybear

[Ctenucha virginica](#) Virginia Ctenucha

[Estigmene acrea](#) Salt Marsh Moth or Acrea Moth

[Hypoprepia miniata](#) Scarlet-winged Lichen Moth

[Cisseps fulvicollis](#) Yellow-collared Scape Moth

[Idia americalis](#) American Idia Moth

[Idia aemula](#) Common Idia Moth

[Hyperna humuli](#) Hop Vine Moth

[Catocala amatrix](#) Sweetheart Underwing

[Catocala concumbens](#) Sleepy Underwing

[Catocala semirelict](#) Semirelict Underwing

[Scoliopteryx libatrix](#) The Herald

[Caenurgina crassiuscula](#) Clover Looper Moth

[Catocala briseis](#) Briseis Underwing

[Thysania zenobia](#) Owl Moth

[Ascalapha odorata](#) Black Witch

[Catocala parta](#) Mother Underwing

[Catocala relict](#) White Underwing

[Dasychira basiflava](#) Yellow-based Tussock Moth

[Dasychira vagans](#) Variable Tussock Moth

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[\*Dasychira dorsipennata\*](#) Sharp-lined Tussock Moth

[\*Orgyia leucostigma\*](#) White-marked Tussock Moth

[\*Orgyia antiqua\*](#) Rusty Tussock Moth

[\*Brymbolia quadrimaculella\*](#)

[\*Monopis monachella\*](#) White-headed Monopis

[\*Agonopterix canadensis\*](#) [www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[\*Oegoconia novimundi\*](#) Four-spotted Yellowneck

[\*Limnaecia phragmitella\*](#) Shy Cosmet

[\*Chrysoesthia drurella\*](#)

[\*Chionodes obscurusella\*](#)

[\*Ypsolopha frustella\*](#)

[\*Olethreutes trinitana\*](#)

[\*Dichrorampha sedatana\*](#)

[\*Proteoteras aesculana\*](#)

[\*Celypha cespitana\*](#)

[\*Platynota idaeusalis\*](#) Tufted Apple-Bud Moth

[\*Clepsis peritana\*](#) Garden Tortrix

[\*Acleris maximana\*](#)

[\*Sparganothis reticulatana\*](#) Reticulated Fruitworm Moth

[\*Choristoneura rosaceana\*](#) Oblique-banded Leafroller Moth

[\*Acleris maccana\*](#)

[\*Archips packardiana\*](#) Spring Spruce Needle Moth

[\*Chrysoteuchia topiaria\*](#)

[\*Crambus perlellus\*](#)

[\*Crambus praefectellus\*](#) Common Grass-veneer Moth

[\*Agriphila vulgivagella\*](#)

[\*Pediasia dorsipunctellus\*](#)

[\*Pyrausta nicalis\*](#)

[\*Nomophila nearctica\*](#) Lucerne Moth

[\*Loxostege sticticalis\*](#) Beet Webworm Moth

[\*Fumibotys fumalis\*](#)

[\*Scoparia biplagiata\*](#)

[\*Myelopsis minutularia\*](#)

[\*Pima fosterella\*](#)

[\*Pyralis farinalis\*](#) Meal Moth

[\*Emmelina monodactyla\*](#) Morning-glory Plume Moth

[\*Amblyptilia pica\*](#) Geranium Plume Moth

[\*Anavitrinella pampinaria\*](#) Common Gray

[\*Ennomos magnaria\*](#) Maple Spanworm

[\*Lomographa vestaliata\*](#) White Spring Moth

[\*Iridopsis ephyraria\*](#) Pale-winged Gray

[\*Prochoerodes lineola\*](#) Large Maple Spanworm Moth

[\*Melanolophia signataria\*](#) Signate Melanolophia

[\*Tetracis cachexiata\*](#) White Slant-line

[\*Speranza plumosata\*](#)

[\*Triphosa haesitata\*](#) Tissue Moth

[\*Cladara atroliturata\*](#) The Scribbler

[\*Eupithecia stellata\*](#)

[\*Eulithis gracilineata\*](#) Greater Grapevine Looper Moth

[\*Eupithecia ravocostaliata\*](#) Tawny Pug Moth

[\*Anticlea vasiliata\*](#) Variable Carpet

[\*Xanthorhoe ferrugata\*](#) Red Twin-spot

[\*Eulithis destinata\*](#)

[\*Eupithecia absinthiata\*](#)

[\*Operophtera bruceata\*](#) The Bruce Spanworm



# Butterflies and Moths of North America

[\*Xanthorhoe lacustrata\*](#) Toothed Brown Carpet

[\*Alsophila pomestaria\*](#) Fall Cankerworm Moth

[\*Scopula junctaria\*](#) Simple Wave

[\*Scopula limboundata\*](#) Large Lace-border

[\*Phyllodesma americana\*](#) Lappet Moth

[\*Malacosoma californicum\*](#) Western Tent Caterpillar Moth

[\*Malacosoma disstria\*](#) Forest Tent Caterpillar Moth

[\*Alucita montana\*](#) Montana Six-plume Moth

www.butterfliesandmoths.org

