

# Butterflies and Moths of North America



www.butterfliesandmoths.org

[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Urbanus proteus\*](#) Long-tailed Skipper  
[\*Autochton cellus\*](#) Golden Banded-Skipper  
[\*Achalarus lyciades\*](#) Hoary Edge  
[\*Thorybes confusus\*](#) Confused Cloudywing  
[\*Staphylus hayhurstii\*](#) Hayhurst's Scallopwing  
[\*Erynnis brizo\*](#) Sleepy Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Erynnis horatius\*](#) Horace's Duskywing  
[\*Erynnis baptisiae\*](#) Wild Indigo Duskywing  
[\*Pyrgus communis\*](#) Common Checkered-Skipper  
[\*Pholisora catullus\*](#) Common Sootywing  
[\*Nastra lherminier\*](#) Swarthy Skipper  
[\*Ancyloxypha numitor\*](#) Least Skipper  
[\*Thymelicus lineola\*](#) European Skipper  
[\*Hylephila phyleus\*](#) Fiery Skipper  
[\*Hesperia sassacus\*](#) Indian Skipper  
[\*Atalopedes campestris\*](#) Sachem  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Polites themistocles\*](#) Tawny-edged Skipper  
[\*Polites origenes\*](#) Crossline Skipper  
[\*Wallengrenia egeremet\*](#) Northern Broken-Dash  
[\*Pompeius verna\*](#) Little Glassywing  
[\*Anatrytone logan\*](#) Delaware Skipper  
[\*Problema bulenta\*](#) Rare Skipper  
[\*Poanes hobomok\*](#) Hobomok Skipper  
[\*Poanes zabulon\*](#) Zabulon Skipper  
[\*Poanes massasoit\*](#) Mulberry Wing  
[\*Poanes viator\*](#) Broad-winged Skipper  
[\*Poanes aaroni\*](#) Aaron's Skipper  
[\*Euphyes conspicua\*](#) Black Dash  
[\*Euphyes dion\*](#) Dion Skipper  
[\*Euphyes vestris\*](#) Dun Skipper  
[\*Calpodus ethlius\*](#) Brazilian Skipper  
[\*Panoquina ocola\*](#) Ocola Skipper  
[\*Battus philenor\*](#) Pipevine Swallowtail  
[\*Eurytides marcellus\*](#) Zebra Swallowtail  
[\*Papilio polyxenes\*](#) Black Swallowtail  
[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail  
[\*Papilio troilus\*](#) Spicebush Swallowtail  
[\*Papilio palamedes\*](#) Palamedes Swallowtail  
[\*Papilio cressphontes\*](#) Giant Swallowtail  
[\*Anthocharis midea\*](#) Falcate Orangetip  
[\*Pieris rapae\*](#) Cabbage White  
[\*Pontia protodice\*](#) Checkered White  
[\*Colias philodice\*](#) Clouded Sulphur  
[\*Colias eurytheme\*](#) Orange Sulphur

# Butterflies and Moths of North America



[\*Zerene cesonia\*](#) Southern Dogface

[\*Phoebis sennae\*](#) Cloudless Sulphur

[\*Pyrisitia lisa\*](#) Little Yellow

[\*Abaeis nicippe\*](#) Sleepy Orange

[\*Feniseca tarquinius\*](#) Harvester

[\*Lycaena phlaeas\*](#) American Copper

[\*Lycaena hyllus\*](#) Bronze Copper

[\*Atlides halesus\*](#) Great Purple Hairstreak

[\*Callophrys gryneus\*](#) Juniper Hairstreak

[\*Callophrys irus\*](#) Frosted Elfin

[\*Satyrium titus\*](#) Coral Hairstreak

[\*Satyrium calanus\*](#) Banded Hairstreak

[\*Satyrium liparops\*](#) Striped Hairstreak

[\*Calycopis cecrops\*](#) Red-banded Hairstreak

[\*Strymon melinus\*](#) Gray Hairstreak

[\*Parrhasius m album\*](#) White-M Hairstreak

[\*Cupido comyntas\*](#) Eastern Tailed-Blue

[\*Celastrina ladon\*](#) Spring Azure

[\*Celastrina neglecta\*](#) Summer Azure

[\*Celastrina neglectamajor\*](#) Appalachian Azure

[\*Libytheana carinenta\*](#) American Snout

[\*Danaus plexippus\*](#) Monarch

[\*Agraulis vanillae\*](#) Gulf Fritillary

[\*Euptoieta claudia\*](#) Variegated Fritillary

[\*Speyeria cybele\*](#) Great Spangled Fritillary

[\*Speyeria idalia\*](#) Regal Fritillary

[\*Boloria selene\*](#) Silver-bordered Fritillary

[\*Boloria bellona\*](#) Meadow Fritillary

[\*Limenitis arthemis\*](#) Red-spotted Purple or White Admiral

[\*Limenitis arthemis astyanax\*](#) 'Astyanax' Red-spotted Purple

[\*Limenitis archippus\*](#) Viceroy

[\*Asterocampa celtis\*](#) Hackberry Emperor

[\*Asterocampa clyton\*](#) Tawny Emperor

[\*Chlosyne nycteis\*](#) Silvery Checkerspot

[\*Phyciodes tharos\*](#) Pearl Crescent

[\*Euphydryas phaeton\*](#) Baltimore Checkerspot

[\*Junonia coenia\*](#) Common Buckeye

[\*Polygonia interrogationis\*](#) Question Mark

[\*Polygonia comma\*](#) Eastern Comma

[\*Polygonia progne\*](#) Gray Comma

[\*Aglais milberti\*](#) Milbert's Tortoiseshell

[\*Nymphalis antiopa\*](#) Mourning Cloak

[\*Vanessa atalanta\*](#) Red Admiral

[\*Vanessa cardui\*](#) Painted Lady

[\*Vanessa virginiensis\*](#) American Lady

[\*Satyrodes eurydice\*](#) Eyed Brown

[\*Satyrodes appalachia\*](#) Appalachian Brown

[\*Megisto cymela\*](#) Little Wood-Satyr

[\*Cercyonis pegala\*](#) Common Wood-Nymph

[\*Oreta rosea\*](#) Rose Hooktip

[\*Automeris io\*](#) Io moth

[\*Hemileuca maia\*](#) Eastern buckmoth

[\*Samia cynthia\*](#) Ailanthus silkmoth

[\*Actias luna\*](#) Luna moth

[\*Callosamia promethea\*](#) Promethea silkmoth

www.butterfliesandmoths.org

# Butterflies and Moths of North America

[\*Antheraea polyphemus\*](#) Polyphemus moth

[\*Callosamia angulifera\*](#) Tuliptree silkmoth

[\*Hyalophora cecropia\*](#) Cecropia silkmoth

[\*Anisota senatoria\*](#) Orange-tipped oakworm moth

[\*Dryocampa rubicunda\*](#) Rosy maple moth

[\*Eacles imperialis\*](#) Imperial Moth

[\*Anisota virginiensis\*](#) Pink-striped oakworm moth

[\*Citheronia regalis\*](#) Royal Walnut Moth

[\*Lintneria eremitus\*](#) Hermit sphinx

[\*Dolba hyloeus\*](#) Pawpaw sphinx

[\*Amorpha juglandis\*](#) Walnut sphinx

[\*Sphinx franckii\*](#) Franck's sphinx

[\*Manduca jaminearum\*](#) Ash sphinx

[\*Sphinx kalmiae\*](#) Laurel sphinx

[\*Manduca quinquemaculata\*](#) Five-spotted hawkmoth

[\*Manduca sexta\*](#) Carolina sphinx

[\*Ceratomia catalpae\*](#) Catalpa sphinx

[\*Paonias astylus\*](#) Huckleberry sphinx

[\*Ceratomia undulosa\*](#) Waved sphinx

[\*Paonias excaecata\*](#) Blinded sphinx

[\*Agrius cingulata\*](#) Pink-spotted hawkmoth

[\*Ceratomia amyntor\*](#) Elm sphinx

[\*Paonias myops\*](#) Small-eyed sphinx

[\*Darapsa versicolor\*](#) Hydrangea sphinx

[\*Amphion floridensis\*](#) Nessus sphinx

[\*Darapsa choerilus \(pholus\)\*](#) Azalea Sphinx

[\*Hyles lineata\*](#) White-lined Sphinx

[\*Hemaris diffinis\*](#) Snowberry Clearwing

[\*Cautethia grotei\*](#) Grote's sphinx

[\*Xylophanes tersa\*](#) Tersa Sphinx

[\*Eumorpha achemon\*](#) Achemon sphinx

[\*Eumorpha pandorus\*](#) Pandorus Sphinx

[\*Hyles gallii\*](#) Bedstraw hawkmoth

[\*Hemaris thysbe\*](#) Hummingbird Clearwing

[\*Sphecodina abbottii\*](#) Abbott's sphinx

[\*Darapsa myron\*](#) Virginia creeper sphinx

[\*Schizura ipomoeae\*](#) Morning-glory Prominent

[\*Schizura concinna\*](#) Red-humped Caterpillar Moth

[\*Leuconycta diptheroides\*](#) Green Leuconycta

[\*Marimatha nigrofimbria\*](#) Black-bordered Lemon Moth

[\*Cerma cerintha\*](#) Tufted Bird-Dropping Moth

[\*Lithacodia musta\*](#) Small Mossy Lithacodia

[\*Protodeltote muscosula\*](#) Large Mossy Lithacodia

[\*Spragueia leo\*](#) Common Spragueia

[\*Acronicta americana\*](#) American Dagger Moth

[\*Simyra insularis\*](#) Henry's Marsh Moth

[\*Polygrammate hebraicum\*](#) The Hebrew

[\*Acronicta obliqua\*](#) Smeared Dagger Moth

[\*Acronicta betulae\*](#) Birch Dagger Moth

[\*Acronicta lobeliae\*](#) Lobelia Dagger Moth

[\*Harrisimemna trisignata\*](#) Harris' Three Spot

[\*Acronicta hasta\*](#) Speared Dagger Moth

[\*Spodoptera frugiperda\*](#) Fall Armyworm Moth

[\*Basilodes pepita\*](#) Gold Moth

[\*Papaipema baptisiae\*](#)

www.butterfliesandmoths.org



# Butterflies and Moths of North America



[\*Phosphila missilioides\*](#) Spotted Phosphila

[\*Amphipyra pyramidoides\*](#) Copper Underwing

[\*Spodoptera ornithogalli\*](#) Yellow-striped Armyworm Moth

[\*Chytonix palliatricula\*](#) Cloaked Marvel

[\*Oligia modica\*](#) Black-banded Brocade

[\*Galgula partita\*](#) The Wedgling

[\*Condica vecors\*](#) Dusky Groundling

[\*Niphonyx segregata\*](#)

[\*Cucullia asteroides\*](#) The Asteroid

[\*Cucullia convexipennis\*](#) Brown-hooded Owlet

[\*Sunira bicolorago\*](#) Bicolored Sallow

[\*Ctenoplusia oxygramma\*](#) Sharp-stigma Looper Moth

[\*Chrysodeixis includens\*](#) Soybean Looper Moth

[\*Rachiplusia ou\*](#) Gray Looper Moth

[\*Autographa precationis\*](#) The Common Looper Moth

[\*Anagrapha falcifera\*](#) Celery Looper Moth

[\*Elaphria grata\*](#) Grateful Midget

[\*Leucania pseudargyria\*](#) False Wainscot

[\*Lacinipolia laudabilis\*](#) Laudable Arches

[\*Elaphria chalcedonia\*](#) Chalcedony Midget

[\*Lacinipolia explicata\*](#) Explicit Arches

[\*Dargida rubripennis\*](#) The Pink-Streak

[\*Mythimna unipuncta\*](#) Armyworm Moth

[\*Elaphria versicolor\*](#) Variegated Midget

[\*Mythimna oxygala\*](#)

[\*Nephelodes minians\*](#) Bronzed Cutworm Moth

[\*Lacinipolia renigera\*](#) Bristly Cutworm Moth

[\*Ochropleura implecta\*](#) American Flame-shouldered Dart

[\*Agnorisma badinodis\*](#) Pale-banded Dart

[\*Xestia dolosa\*](#) Greater Black-letter Dart

[\*Peridroma saucia\*](#) Variegated Cutworm Moth

[\*Agrotis ipsilon\*](#) Ipsilon Dart

[\*Xestia c-nigrum/dolosa complex\*](#)

[\*Anicla infecta\*](#) Green Cutworm Moth

[\*Schinia rivulosa\*](#) Ragweed Flower Moth

[\*Chloridea virescens\*](#) Tobacco Budworm Moth

[\*Schinia florida\*](#) Primrose Moth

[\*Schinia arcigera\*](#) Arcigera Flower Moth

[\*Helicoverpa zea\*](#) Corn Earworm Moth

[\*Alypia octomaculata\*](#) Eight-spotted Forester

[\*Eudryas grata\*](#) Beautiful Wood-nymph

[\*Psychomorpha epimenis\*](#) Grapevine Epimenis

[\*Halysidota sp.\*](#)

[\*Pyrrharctia isabella\*](#) Isabella Tiger Moth or Banded Woollybear

[\*Halysidota harrisii\*](#) Sycamore Tussock Moth

[\*Haploa clymene\*](#) Clymene Moth

[\*Hypercompe scribonia\*](#) Great Leopard Moth

[\*Cycnia tenera\*](#) Delicate Cycnia or Dogbane Tiger Moth

[\*Spilosoma virginica\*](#) Virginian Tiger Moth or Yellow Woollybear Moth

[\*Euchaetes egle\*](#) Milkweed Tussock Moth or Milkweed Tiger Moth

[\*Estigmene acrea\*](#) Salt Marsh Moth or Acrea Moth

[\*Crambidia pallida\*](#) Pale Lichen Moth

[\*Hyphantria cunea\*](#) Fall Webworm Moth

[\*Apantesis phalerata\*](#) Harnessed Moth

[\*Crambidia uniformis\*](#) Uniform Lichen Moth

www.butterfliesandmoths.org

# Butterflies and Moths of North America

[\*Halysidota tessellaris\*](#) Banded Tussock Moth or Pale Tiger Moth

[\*Cisseps fulvicollis\*](#) Yellow-collared Scape Moth

[\*Palthis aspialis\*](#) Faint-spotted Palthis Moth

[\*Lascoria ambiguus\*](#) Ambiguous Moth

[\*Tetanolita floridana\*](#) Florida Tetanolita Moth

[\*Idia lubricalis\*](#) Glossy Black Idia Moth

[\*Zanclognatha cruralis-obscuripennis\*](#) Early Zanclognatha Moth/Dark

Zanclognatha Moth

[\*Macrochilo litophora\*](#) Brown-lined Owlet Moth

[\*Idia americalis\*](#) American Idia Moth

[\*Idia aemula\*](#) Common Idia Moth

[\*Tetanolita mynesalis\*](#) Smoky Tetanolita Moth

[\*Palthis angulalis\*](#) Dark-spotted Palthis Moth

[\*Hypena scabra\*](#) Green Cloverworm Moth

[\*Hypena baltimoralis\*](#) Baltimore Bomolocha Moth

[\*Parahyphenodes quadralis\*](#) Masked Parahyphenodes

[\*Caenurgina crassiuscula\*](#) Clover Looper Moth

[\*Parallela bistriaris\*](#) Maple Looper Moth

[\*Catocala ultronia\*](#) Ultronia Underwing

[\*Caenurgina erechtea\*](#) Forage Looper Moth

[\*Anomis erosa\*](#) Yellow Scallop Moth

[\*Panopoda rufimargo\*](#) Red-lined Panopoda

[\*Plusiodonta compressipalpis\*](#) Moonseed Moth

[\*Panopoda carneicosta\*](#) Brown Panopoda

[\*Catocala vidua\*](#) The Widow

[\*Catocala palaeogama\*](#) Oldwife Underwing

[\*Zale lunata\*](#) Lunate Zale

[\*Orgyia leucostigma\*](#) White-marked Tussock Moth

[\*Nycteola metaspilella\*](#)

[\*Epicallima argenticinctella\*](#)

[\*Promalactis suzukiella\*](#) Suzuki's Promalactis Moth

[\*Acrolophus popeanella\*](#) Clemens' Grass Tubeworm Moth

[\*Acrolophus arcanellus\*](#) Grass Tubeworm Moth

[\*Thyridopteryx ephemeraeformis\*](#) Evergreen Bagworm Moth

[\*Atteva aurea\*](#) Ailanthus Webworm Moth

[\*Synanthedon fatifera\*](#) Lesser Viburnum Clearwing Moth

[\*Melittia cucurbitae\*](#) Squash Vine Borer

[\*Episimus tyrius\*](#) Maple Tip Borer Moth

[\*Cydia latiferreana\*](#) Filbertworm Moth

[\*Phaecasiophora confixana\*](#) Macrame Moth

[\*Eucosma tocullionana\*](#) White Pine Cone Borer

[\*Clepsis peritana\*](#) Garden Tortrix

[\*Coelostathma discopunctana\*](#) The Batman Moth

[\*Choristoneura rosaceana\*](#) Oblique-banded Leafroller Moth

[\*Platynota exasperatana\*](#) Exasperating Platynota

[\*Argyrotaenia velutinana\*](#) Red Banded Leafroller Moth

[\*Pandemis limitata\*](#) Three-lined Leafroller Moth

[\*Platynota idaeusalis\*](#) Tufted Apple-Bud Moth

[\*Argyrotaenia quercifoliana\*](#) Oak Leafroller

[\*Pyromorpha dimidiata\*](#) Orange-patched Smoky Moth

[\*Prolimacodes badia\*](#) Skiff Moth

[\*Acharia stimulea\*](#) Saddleback Caterpillar Moth

[\*Parasa chloris\*](#) Smaller Parasa

[\*Lithacodes fasciola\*](#) Yellow-shouldered Slug Moth

[\*Elophila oblitalis\*](#) Waterlily Leafcutter Moth

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[Microcrambus elegans](#) Elegant Grass-veneer

[Crambus jaquetellus](#) Eastern Grass-veneer

[Crambus saltuellus](#)

[Urola nivalis](#)

[Crambus agitatellus](#)

[Fissicrambus mutabilis](#) Changeable Grass-veneer

[Agriphila vulgiva](#)

[Evergestis rimosalis](#)

[Chalcoela iphitalis](#) Sooty Winged Chalcoela Moth

[Ostrinia nubilalis](#) European Corn Borer Moth

[Desmia funeralis](#) Grape Leafroller Moth

[Diathrausta harlequinialis](#)

[Pyrausta rubricalis](#)

[Sitochroa palealis](#)

[Pyrausta orphisalis](#) Orange Mint Moth

[Herpetogramma pertextalis](#)

[Pyrausta bicoloralis](#)

[Pyrausta subsequalis](#)

[Nomophila nearctica](#) Lucerne Moth

[Udea rubigalis](#) Celery Leaf-tier Moth

[Pyrausta tyralis](#)

[Palpita magniferalis](#) Splendid Palpita

[Desmia funeralis/maculalis](#)

[Pyrausta signatalis](#)

[Galasa nigrinodis](#)

[Plodia interpunctella](#) Indian-Meal Moth

[Hypsopygia olinalis](#)

[Pyralis farinalis](#) Meal Moth

[Emmelina monodactyla](#) Morning-glory Plume Moth

[Prochoerodes lineola](#) Large Maple Spanworm Moth

[Speranza pustularia](#) Lesser Maple Spanworm Moth

[Lomographa vestaliata](#) White Spring Moth

[Iridopsis vellivolata](#) Large Purplish Gray

[Antepione thisoaria](#) Variable Antipione

[Patalene olyzonaria](#) Juniper Geometer

[Xanthotype sospeta](#) Crocus Geometer

[Epimecis hortaria](#) Tulip-Tree Beauty

[Protoarmia porcelaria](#) Porcelain Gray

[Anavitrinella pampinaria](#) Common Gray

[Hypagyrtis unipunctata](#) One-Spotted Variant

[Macaria bisignata](#) Red-headed inchworm

[Euchlaena amoenaria](#) Deep Yellow Euchlaena

[Nemoria lixaria](#) Red-bordered Emerald

[Synchlora aerata](#) Wavy-Lined Emerald

[Chloropteryx tepperaria](#) Angle Winged Emerald Moth

[Eupithecia miserulata](#)

[Coryphista meadii](#) Barberry Geometer

[Heterophleps triguttaria](#) Three-spotted Fillip

[Eulithis sp.](#)

[Trichodezia albovittata](#) White-striped Black

[Orthonama obstipata](#) The Gem

[Xanthorhoe lacustrata](#) Toothed Brown Carpet

[Eubaphe mendica](#) The Beggar

[Alsophila pomataria](#) Fall Cankerworm Moth

[Lobocleta ossularia](#) Drab Brown Wave

# Butterflies and Moths of North America

[Scopula limboundata](#) Large Lace-border

[Cyclophora packardii](#) Packard's Wave

[Haematopis grataria](#) Chickweed Geometer

[Pleuroprucha insularia](#) Common Tan Wave

[Malacosoma americanum](#) Eastern Tent Caterpillar Moth

[Artace cribraria](#) Dot-lined White

[www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

