

# Butterflies and Moths of North America



www.butterfliesandmoths.org

[\*Phocides pigmalion\*](#) Mangrove Skipper  
[\*Epargyreus zestos\*](#) Zestos Skipper  
[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Polygonus leo\*](#) Hammock Skipper  
[\*Urbanus proteus\*](#) Long-tailed Skipper  
[\*Urbanus dorantes\*](#) Dorantes Longtail  
[\*Thorybes pylades\*](#) Northern Cloudywing  
[\*Thorybes bathyllus\*](#) Southern Cloudywing  
[\*Staphylus hayhurstii\*](#) Hayhurst's Scallopwing  
[\*Ephyriades brunnea\*](#) Florida Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Erynnis horatius\*](#) Horace's Duskywing  
[\*Erynnis zarucco\*](#) Zarucco Duskywing  
[\*Pyrgus communis\*](#) Common Checkered-Skipper  
[\*Pyrgus oileus\*](#) Tropical Checkered-Skipper  
[\*Nastra lherminier\*](#) Swarthy Skipper  
[\*Nastra neamathla\*](#) Neamathla Skipper  
[\*Cymaenes tripunctus\*](#) Three-spotted Skipper  
[\*Lerema accius\*](#) Clouded Skipper  
[\*Ancyloxypha numitor\*](#) Least Skipper  
[\*Copaeodes minima\*](#) Southern Skipperling  
[\*Hylephila phyleus\*](#) Fiery Skipper  
[\*Hesperia attalus\*](#) Dotted Skipper  
[\*Hesperia meskei\*](#) Meske's Skipper  
[\*Atalopedes campestris\*](#) SACHEM  
[\*Polites themistocles\*](#) Tawny-edged Skipper  
[\*Polites baracoa\*](#) Baracoa Skipper  
[\*Polites vibex\*](#) Whirlabout  
[\*Wallengrenia otho\*](#) Southern Broken-Dash  
[\*Atrytone arogos\*](#) Arogos Skipper  
[\*Anatrytone logan\*](#) Delaware Skipper  
[\*Problema byssus\*](#) Byssus Skipper  
[\*Poanes aaroni\*](#) Aaron's Skipper  
[\*Euphyes pilatka\*](#) Palatka Skipper  
[\*Euphyes berryi\*](#) Berry's Skipper  
[\*Euphyes arpa\*](#) Palmetto Skipper  
[\*Asbolis capucinus\*](#) Monk  
[\*Atrytonopsis hianna\*](#) Dusted Skipper  
[\*Amblyscirtes alternata\*](#) Dusky Roadside-Skipper  
[\*Lerodea eufala\*](#) Eufala Skipper  
[\*Oligoria maculata\*](#) Twin-spot Skipper  
[\*Calpodus ethlius\*](#) Brazilian Skipper  
[\*Panoquina panoquin\*](#) Salt Marsh Skipper  
[\*Panoquina panoquinoides\*](#) Obscure Skipper  
[\*Panoquina ocola\*](#) Ocola Skipper  
[\*Megathymus cofaqui\*](#) Cofaqui Giant-Skipper  
[\*Battus philenor\*](#) Pipevine Swallowtail

# Butterflies and Moths of North America



[\*Battus polydamas\*](#) Polydamas Swallowtail

[\*Eurytides marcellus\*](#) Zebra Swallowtail

[\*Papilio polyxenes\*](#) Black Swallowtail

[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail

[\*Papilio troilus\*](#) Spicebush Swallowtail

[\*Papilio palamedes\*](#) Palamedes Swallowtail

[\*Papilio cresphontes\*](#) Giant Swallowtail

[\*Papilio aristodemus\*](#) Schaus' Swallowtail

[\*Papilio andraemon\*](#) Bahaman Swallowtail

[\*Papilio androgeus\*](#) Androgeus Swallowtail

[\*Appias drusilla\*](#) Florida White

[\*Pieris rapae\*](#) Cabbage White

[\*Pontia protodice\*](#) Checkered White

[\*Ascia monuste\*](#) Great Southern White

[\*Kricogonia lyside\*](#) Lyside Sulphur

[\*Colias eurytheme\*](#) Orange Sulphur

[\*Zerene cesonia\*](#) Southern Dogface

[\*Anteos maerula\*](#) Yellow Angled-Sulphur

[\*Phoebis sennae\*](#) Cloudless Sulphur

[\*Phoebis agarithe\*](#) Large Orange Sulphur

[\*Phoebis philea\*](#) Orange-barred Sulphur

[\*Aphrissa statira\*](#) Statira Sulphur

[\*Aphrissa neleis\*](#) Pink-spot Sulphur

[\*Eurema daira\*](#) Barred Yellow

[\*Eurema boisduvaliana\*](#) Boisduval's Yellow

[\*Pyrisitia lisa\*](#) Little Yellow

[\*Pyrisitia nise\*](#) Mimosa Yellow

[\*Pyrisitia dina\*](#) Dina Yellow

[\*Abaeis nicippe\*](#) Sleepy Orange

[\*Nathalis iole\*](#) Dainty Sulphur

[\*Eumaeus atala\*](#) Atala

[\*Satyrium favonius\*](#) Oak Hairstreak

[\*Chlorostrymon simaethis\*](#) Silver-banded Hairstreak

[\*Chlorostrymon maesites\*](#) Amethyst Hairstreak

[\*Electrostrymon angelia\*](#) Fulvous Hairstreak

[\*Calycopis cecrops\*](#) Red-banded Hairstreak

[\*Strymon melinus\*](#) Gray Hairstreak

[\*Strymon martialis\*](#) Martial Scrub-Hairstreak

[\*Strymon istapa\*](#) Mallow Scrub-Hairstreak

[\*Strymon acis\*](#) Bartram's Scrub-Hairstreak

[\*Ministrymon azia\*](#) Gray Ministreak

[\*Parrhasius m album\*](#) White-M Hairstreak

[\*Leptotes cassius\*](#) Cassius Blue

[\*Brephidium pseudofea\*](#) Eastern Pygmy-Blue

[\*Hemiargus ceraunus\*](#) Ceraunus Blue

[\*Cyclargus thomasi\*](#) Miami Blue

[\*Calephelis virginiensis\*](#) Little Metalmark

[\*Libytheana carinenta\*](#) American Snout

[\*Danaus plexippus\*](#) Monarch

[\*Danaus gilippus\*](#) Queen

[\*Danaus eresimus\*](#) Soldier

[\*Lycorea halia\*](#) Tiger Mimic-Queen

[\*Agraulis vanillae\*](#) Gulf Fritillary

[\*Dryas iulia\*](#) Julia Heliconian

[\*Heliconius charithonia\*](#) Zebra Heliconian

# Butterflies and Moths of North America



[Euptoieta claudia](#) Variegated Fritillary

[Limenitis arthemis](#) Red-spotted Purple or White Admiral

[Limenitis arthemis astyanax](#) 'Astyanax' Red-spotted Purple

[Limenitis archippus](#) Viceroy

[Marpesia chiron](#) Many-banded Daggerwing

[Marpesia petreus](#) Ruddy Daggerwing

[Asterocampa celtis](#) Hackberry Emperor

[Asterocampa clyton](#) Tawny Emperor

[Eunica tatila](#) Florida Purplewing

[Eunica monima](#) Dingy Purplewing

[Hamadryas amphichloe](#) Pale Cracker

[Diaethria clymena](#) Cramer's Eighty-eight

[Phyciodes phaon](#) Phaon Crescent

[Phyciodes tharos](#) Pearl Crescent

[Anthanassa frisia](#) Cuban Crescent

[Hypolimnys misippus](#) Mimic

[Junonia coenia](#) Common Buckeye

[Junonia genoveva](#) Mangrove Buckeye

[Junonia evarete](#) Tropical Buckeye

[Anartia jatrophae](#) White Peacock

[Siproeta stelenes](#) Malachite

[Polygonia interrogationis](#) Question Mark

[Vanessa atalanta](#) Red Admiral

[Vanessa cardui](#) Painted Lady

[Vanessa virginiensis](#) American Lady

[Anaea troglodyta florida](#) Florida Leafwing

[Enodia portlandia](#) Southern Pearly-eye

[Neonympha areolatus](#) Georgia Satyr

[Hermeuptychia sosybius](#) Carolina Satyr

[Automeris io](#) Io moth

[Hemileuca maia](#) Eastern buckmoth

[Antheraea polyphemus](#) Polyphemus moth

[Anisota consularis](#) Consular oakworm moth

[Dryocampa rubicunda](#) Rosy maple moth

[Eacles imperialis](#) Imperial moth

[Citheronia sepulcralis](#) Pine-devil Moth

[Protambulyx strigilis](#) Streaked sphinx

[Manduca quinquemaculata](#) Five-spotted hawkmoth

[Manduca rustica](#) Rustic sphinx

[Dolba hyloeus](#) Pawpaw sphinx

[Paonias myops](#) Small-eyed sphinx

[Ceratomia catalpae](#) Catalpa sphinx

[Manduca sexta](#) Carolina sphinx

[Isoparce cupressi](#) Baldcypress sphinx

[Cocytius antaeus](#) Giant sphinx

[Protambulyx carteri](#) Carter's sphinx

[Agrius cingulata](#) Pink-spotted hawkmoth

[Lapara coniferarum](#) Southern pine sphinx

[Cocytius duponchei](#) Duponchel's sphinx

[Pseudosphinx tetrio](#) Tetrio sphinx

[Erinnyis obscura](#) Obscure sphinx

[Amphion floridensis](#) Nessus sphinx

[Madorix pseudothyreus](#) False-windowed sphinx

[Darapsa myron](#) Virginia creeper sphinx

[Darapsa versicolor](#) Hydrangea sphinx

# Butterflies and Moths of North America



[\*Xylophanes pluto\*](#) Pluto sphinx

[\*Erinnyis oenotrus\*](#) Oenotrus sphinx

[\*Xylophanes porcus\*](#) Porcus sphinx

[\*Eumorpha fasciatus\*](#) Banded sphinx

[\*Callionima parce\*](#) Parce sphinx

[\*Pachylia ficus\*](#) Fig sphinx [www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[\*Xylophanes tersa\*](#) Tersi Sphinx

[\*Eumorpha labruscae\*](#) Gaudy sphinx

[\*Cautethia grotei\*](#) Grote's sphinx

[\*Enyo lugubris\*](#) Mournful sphinx

[\*Aellopos fadus\*](#) Fadus sphinx

[\*Eumorpha pandorus\*](#) Pandorus Sphinx

[\*Perigonia lusca\*](#) Half-blind sphinx

[\*Erinnyis alope\*](#) Alope sphinx

[\*Aellopos tantalus\*](#) Tantalus sphinx

[\*Hyles lineata\*](#) White-lined Sphinx

[\*Eumorpha vitis\*](#) Vine sphinx

[\*Phryxus caicus\*](#) Caicus sphinx

[\*Erinnyis crameri\*](#) Cramer's sphinx

[\*Aellopos titan\*](#) Titan sphinx

[\*Erinnyis ello\*](#) Ello sphinx

[\*Clostera inclusa\*](#) Angle-Lined Prominent

[\*Heterocampa astarte\*](#)

[\*Datana modesta\*](#)

[\*Macrurocampa marthesia\*](#) Mottled Prominent

[\*Hyperaeschra georgica\*](#) Georgian Prominent

[\*Heterocampa obliqua\*](#) Oblique Heterocampa

[\*Oligocentria semirufescens\*](#) Red-washed Prominent

[\*Heterocampa cubana\*](#)

[\*Cerura scitiscrupta\*](#) Black-Etched Prominent

[\*Heterocampa umbrata\*](#) White-blotched Heterocampa

[\*Nystalea indiana\*](#)

[\*Heterocampa guttivitta\*](#) Saddled Prominent

[\*Nystalea ebalea\*](#)

[\*Schizura ipomoeae\*](#) Morning-glory Prominent

[\*Hyparpax perophoroides\*](#)

[\*Litodonta hydromeli\*](#)

[\*Cydosia nobilitella\*](#) Curve-lined Cydosia Moth

[\*Spodoptera ornithogalli\*](#) Yellow-striped Armyworm Moth

[\*Chrysodeixis includens\*](#) Soybean Looper Moth

[\*Xanthopastis regnatrix\*](#) Spanish Moth

[\*Elaphria deltoides\*](#)

[\*Spodoptera latifascia\*](#) Velvet Armyworm Moth

[\*Spodoptera pulchella\*](#) Caribbean Armyworm Moth

[\*Eudryas unio\*](#) Pearly Wood-nymph

[\*Cosmosoma myrodora\*](#) Scarlet-Bodied Wasp Moth

[\*Seirarctia echo\*](#) Echo Moth

[\*Clemensia albata\*](#) Little White Lichen Moth

[\*Pseudocharis minima\*](#) Lesser Wasp Moth

[\*Hyphantria cunea\*](#) Fall Webworm Moth

[\*Pagara simplex\*](#) Mouse-Colored Lichen Moth

[\*Didasys belae\*](#) Double-Tufted Wasp Moth

[\*Syntomeida epilais\*](#) Polka-Dot Wasp Moth

[\*Apantesis phalerata\*](#) Harnessed Moth

[\*Pyrrharctia isabella\*](#) Isabella Tiger Moth or Banded Woollybear

# Butterflies and Moths of North America



[\*Syntomeida ipomoeae\*](#) Yellow-Banded Wasp Moth  
[\*Hypercompe scribonia\*](#) Great Leopard Moth  
[\*Cisthene subjecta\*](#) Subject Lichen Moth  
[\*Lymire edwardsii\*](#) Edwards' Wasp Moth  
[\*Virbia aurantiaca\*](#) Orange Holomelina  
[\*Crambidia lithosioides\*](#) Dark Gray Lichen Moth  
[\*Neoplynes eudora\*](#)  
[\*Nelphe carolina\*](#) Florida Eucereon  
[\*Virbia rubicundaria\*](#) Ruddy Holomelina  
[\*Crambidia pallida\*](#) Pale Lichen Moth  
[\*Cisseps fulvicollis\*](#) Yellow-collared Scape Moth  
[\*Pareuchaetes insulata\*](#) Yellow-Winged Pareuchaetes  
[\*Hypoprepia fucosa\*](#) Painted Lichen Moth  
[\*Composia fidelissima\*](#) Faithful Beauty  
[\*Apantesis vittata\*](#) Banded Tiger Moth  
[\*Calidota laqueata\*](#) Streaked Calidota  
[\*Empyreuma pugione\*](#) Spotted Oleander Caterpillar Moth  
[\*Dahana atripennis\*](#) Black-Winged Dahana  
[\*Utetheisa ornatix\*](#) Bella Moth  
[\*Spilosoma congrua\*](#) Agreeable Tiger Moth  
[\*Eupseudosoma involutum\*](#) Snowy Eupseudosoma  
[\*Melipotis acontioides\*](#)  
[\*Ascalapha odorata\*](#) Black Witch  
[\*Anticarsia gemmatilis\*](#) Velvetbean Caterpillar Moth  
[\*Hemeroblemma opigena\*](#)  
[\*Mocis disseverans\*](#) Yellow Mocis  
[\*Mocis latipes\*](#) Small Mocis  
[\*Dasychira meridionalis\*](#) Southern Tussock Moth  
[\*Oiketicus abbotii\*](#) Abbot's Bagworm Moth  
[\*Homaledra sabalella\*](#) Palm Leaf Skeletonizer Moth  
[\*Atteva aurea\*](#) Ailanthus Webworm Moth  
[\*Lactura pupula\*](#) Bumelia Leafworm Moth  
[\*Tortyra slossonia\*](#) Slosson's Metalmark Moth  
[\*Zomaria rosaochreana\*](#)  
[\*Megalopyge opercularis\*](#) Southern Flannel Moth  
[\*Phaedropsis stictigramma\*](#)  
[\*Herpetogramma phaeopteralis\*](#) Dusky Herpetogramma  
[\*Epicorsia oedipodalis\*](#)  
[\*Diaphania hyalinata\*](#) Melonworm Moth  
[\*Asciodes gordialis\*](#) Bougainvillea Caterpillar Moth  
[\*Syngamia florella\*](#) Red-waisted Florella Moth  
[\*Epipagis forsythae\*](#) Forsyth's Epipagis  
[\*Cactoblastis cactorum\*](#) Cactus Moth  
[\*Homosassa ella\*](#)  
[\*Hexeris enhydris\*](#) Seagrape Borer Moth  
[\*Ametris nitocris\*](#) Seagrape Spanworm Moth  
[\*Patalene olyzonaria\*](#) Juniper Geometer  
[\*Phrygionis paradoxata\*](#) Jeweled Satyr Moth  
[\*Melanchroia chephise\*](#) White-tipped Black  
[\*Synchlora frondaria\*](#) Southern Emerald  
[\*Synchlora xysteraria\*](#)