

# Butterflies and Moths of North America



[www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Thorybes pylades\*](#) Northern Cloudywing  
[\*Thorybes bathyllus\*](#) Southern Cloudywing  
[\*Erynnis icelus\*](#) Dreamy Duskywing  
[\*Erynnis brizo\*](#) Sleepy Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Erynnis horatius\*](#) Horace's Duskywing  
[\*Erynnis martialis\*](#) Mottled Duskywing  
[\*Erynnis funeralis\*](#) Funereal Duskywing  
[\*Erynnis baptisiae\*](#) Wild Indigo Duskywing  
[\*Pyrgus communis\*](#) Common Checkered-Skipper  
[\*Ancyloxypha numitor\*](#) Least Skipper  
[\*Oarisma poweshiek\*](#) Poweshiek Skipperling  
[\*Thymelicus lineola\*](#) European Skipper  
[\*Hylephila phyleus\*](#) Fiery Skipper  
[\*Hesperia ottoe\*](#) Ottoe Skipper  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Polites themistocles\*](#) Tawny-edged Skipper  
[\*Polites origenes\*](#) Crossline Skipper  
[\*Polites mystic\*](#) Long Dash  
[\*Wallengrenia egeremet\*](#) Northern Broken-Dash  
[\*Pompeius verna\*](#) Little Glassywing  
[\*Anatrytone logan\*](#) Delaware Skipper  
[\*Poanes hobomok\*](#) Hobomok Skipper  
[\*Poanes massasoit\*](#) Mulberry Wing  
[\*Poanes viator\*](#) Broad-winged Skipper  
[\*Euphyes conspicua\*](#) Black Dash  
[\*Euphyes dion\*](#) Dion Skipper  
[\*Euphyes bimacula\*](#) Two-spotted Skipper  
[\*Euphyes vestris\*](#) Dun Skipper  
[\*Amblyscirtes hegon\*](#) Pepper and Salt Skipper  
[\*Battus philenor\*](#) Pipevine Swallowtail  
[\*Eurytides marcellus\*](#) Zebra Swallowtail  
[\*Papilio polyxenes\*](#) Black Swallowtail  
[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail  
[\*Papilio troilus\*](#) Spicebush Swallowtail  
[\*Euchloe olympia\*](#) Olympia Marble  
[\*Pieris rapae\*](#) Cabbage White  
[\*Colias philodice\*](#) Clouded Sulphur  
[\*Colias eurytheme\*](#) Orange Sulphur  
[\*Zerene cesonia\*](#) Southern Dogface  
[\*Pyrisitia lisa\*](#) Little Yellow  
[\*Abaeis nicippe\*](#) Sleepy Orange  
[\*Lycaena phlaeas\*](#) American Copper  
[\*Lycaena dione\*](#) Gray Copper  
[\*Lycaena hyllus\*](#) Bronze Copper  
[\*Lycaena helloides\*](#) Purplish Copper

# Butterflies and Moths of North America



- [Callophrys polius](#) Hoary Elfin  
[Callophrys irus](#) Frosted Elfin  
[Satyrium tifus](#) Coral Hairstreak  
[Satyrium acadica](#) Acadian Hairstreak  
[Satyrium edwardsii](#) Edwards' Hairstreak  
[Satyrium calanus](#) Banded Hairstreak  
[Strymon melinus](#) Gray Hairstreak  
[Leptotes marina](#) Marine Blue  
[Cupido comyntas](#) Eastern Tailed-Blue  
[Celastrina ladon](#) Spring Azure  
[Celastrina neglecta](#) Summer Azure  
[Glaucopteryx lygdamus](#) Silvery Blue  
[Echinargus isola](#) Reakirt's Blue  
[Danaus plexippus](#) Monarch  
[Euptoieta claudia](#) Variegated Fritillary  
[Speyeria cybele](#) Great Spangled Fritillary  
[Speyeria aphrodite](#) Aphrodite Fritillary  
[Speyeria idalia](#) Regal Fritillary  
[Boloria selene](#) Silver-bordered Fritillary  
[Boloria bellona](#) Meadow Fritillary  
[Limenitis arthemis](#) Red-spotted Purple or White Admiral  
[Limenitis arthemis astyanax](#) 'Astyanax' Red-spotted Purple  
[Limenitis archippus](#) Viceroy  
[Asterocampa clyton](#) Tawny Emperor  
[Chlosyne nycteis](#) Silvery Checkerspot  
[Phyciodes tharos](#) Pearl Crescent  
[Euphydryas phaeton](#) Baltimore Checkerspot  
[Junonia coenia](#) Common Buckeye  
[Polygonia interrogationis](#) Question Mark  
[Polygonia comma](#) Eastern Comma  
[Polygonia progne](#) Gray Comma  
[Aglais milberti](#) Milbert's Tortoiseshell  
[Nymphalis vaualbum](#) Compton Tortoiseshell  
[Nymphalis antiopa](#) Mourning Cloak  
[Vanessa atalanta](#) Red Admiral  
[Vanessa cardui](#) Painted Lady  
[Vanessa virginiensis](#) American Lady  
[Anaea andria](#) Goatweed Leafwing  
[Satyrodes eurydice](#) Eyed Brown  
[Satyrodes appalachia](#) Appalachian Brown  
[Megisto cymela](#) Little Wood-Satyr  
[Cercyonis pegala](#) Common Wood-Nymph  
[Hyalophora cecropia](#) Cecropia silkmoth  
[Antheraea polyphemus](#) Polyphemus moth  
[Callosamia promethea](#) Promethea silkmoth  
[Actias luna](#) Luna moth  
[Callosamia angulifera](#) Tuliptree silkmoth  
[Eacles imperialis](#) Imperial moth  
[Ceratomia amyntor](#) Elm sphinx  
[Manduca sexta](#) Carolina sphinx  
[Paonias excaecata](#) Blinded sphinx  
[Amorpha juglandis](#) Walnut sphinx  
[Hemaris thysbe](#) Hummingbird Clearwing  
[Hyles lineata](#) White-lined Sphinx  
[Xylophanes tersa](#) Tersa Sphinx

# Butterflies and Moths of North America



[\*Amphion floridensis\*](#) Nessus sphinx

[\*Eumorphia pandorus\*](#) Pandorus Sphinx

[\*Hemaris diffinis\*](#) Snowberry Clearwing

[\*Nadata gibbosa\*](#) White-dotted Prominent

[\*Amphipyra tragopoginis\*](#)

[\*Acronicta betulae\*](#) Birch Dagger Moth

[\*Acronicta americana\*](#) American Dagger Moth

[\*Acronicta funeralis\*](#) Funerary Dagger Moth

[\*Acronicta interrupta\*](#) Interrupted Dagger Moth

[\*Simyra insularis\*](#) Henry's Marsh Moth

[\*Galgula partita\*](#) The Wedgling

[\*Callopietria floridensis\*](#) Florida Fern Moth

[\*Spodoptera exigua\*](#) Beet Armyworm Moth

[\*Papaipema necopina\*](#) Sunflower Borer Moth

[\*Papaipema impecuniosa\*](#) Aster Borer Moth

[\*Papaipema rigida\*](#) Rigid Sunflower Borer Moth

[\*Amphipyra pyramidoides\*](#) Copper Underwing

[\*Spodoptera frugiperda\*](#) Fall Armyworm Moth

[\*Meropleon diversicolor\*](#)

[\*Spodoptera ornithogalli\*](#) Yellow-striped Armyworm Moth

[\*Oligia modica\*](#) Black-banded Brocade

[\*Condica vecors\*](#) Dusky Groundling

[\*Sunira bicolorago\*](#) Bicolored Sallow

[\*Cucullia convexipennis\*](#) Brown-hooded Owlet

[\*Lithophane bethunei\*](#) Bethune's Pinion

[\*Cucullia postera\*](#)

[\*Pseudeustrotia carneola\*](#) Pink-barred Pseudeustrotia

[\*Autographa precationis\*](#) The Common Looper Moth

[\*Anagrapha falcifera\*](#) Celery Looper Moth

[\*Plusia contexta\*](#) Connected Looper Moth

[\*Abrostola urentis\*](#) Variegated Brindle Moth

[\*Chrysodeixis includens\*](#) Soybean Looper Moth

[\*Rachiplusia ou\*](#) Gray Looper Moth

[\*Lacinipolia meditata\*](#) The Thinker

[\*Orthodes majuscula\*](#) Rustic Quaker

[\*Leucania multilinea\*](#) Many-lined Wainscot

[\*Tricholita signata\*](#) Signate Quaker

[\*Elaphria grata\*](#) Grateful Midget

[\*Mythimna oxygala\*](#)

[\*Lacinipolia renigera\*](#) Bristly Cutworm Moth

[\*Nephelodes minians\*](#) Bronzed Cutworm Moth

[\*Tricholita notata\*](#)

[\*Orthosia hibisci\*](#) Speckled Green Fruitworm Moth

[\*Elaphria versicolor\*](#) Variegated Midget

[\*Leucania phragmitidicola\*](#) Phragmites Wainscot

[\*Leucania linda\*](#)

[\*Leucania ursula\*](#) Ursula Wainscot

[\*Mythimna unipuncta\*](#) Armyworm Moth

[\*Archana oblonga\*](#) Oblong Sedge Borer Moth

[\*Feltia jaculifera\*](#) Dingy Cutworm Moth

[\*Feltia subgothica\*](#) Subgothic Dart

[\*Agnorisma badinodis\*](#) Pale-banded Dart

[\*Helotropha reniformis\*](#) Reniform Celaena Moth

[\*Noctua pronuba\*](#) European Yellow Underwing

[\*Agrotis ipsilon\*](#) Ipsilon Dart

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[\*Xestia dolosa\*](#) Greater Black-letter Dart

[\*Peridroma saucia\*](#) Variegated Cutworm Moth

[\*Ochropleura impecta\*](#) American Flame-shouldered Dart

[\*Feltia herilis\*](#) Master's Dart

[\*Xestia smithii\*](#) Smith's Dart

[\*Rhizedra lutosa\*](#) Large Wainscot

[\*Schinia arcigera\*](#) Arcigera Flower Moth

[\*Helicoverpa zea\*](#) Corn Earworm Moth

[\*Alypia octomaculata\*](#) Eight-spotted Forester

[\*Haploa confusa\*](#) Confused Haploa

[\*Spilosoma virginica\*](#) Virginian Tiger Moth or Yellow Woollybear Moth

[\*Virbia aurantiaca\*](#) Orange Holomelina

[\*Apantesis nais\*](#) Nais Tiger Moth

[\*Euchaetes egle\*](#) Milkweed Tussock Moth or Milkweed Tiger Moth

[\*Apantesis phalerata\*](#) Harnessed Moth

[\*Haploa reversa\*](#) Reversed Haploa

[\*Phragmatobia fuliginosa\*](#) Ruby Tiger Moth

[\*Hypoprepia fucosa\*](#) Painted Lichen Moth

[\*Haploa clymene\*](#) Clymene Moth

[\*Pyrrharctia isabella\*](#) Isabella Tiger Moth or Banded Woollybear

[\*Ciseps fulvicollis\*](#) Yellow-collared Scape Moth

[\*Phalaenostola metonalis\*](#) Pale Epidelta Moth

[\*Idia americalis\*](#) American Idia Moth

[\*Idia aemula\*](#) Common Idia Moth

[\*Zanclognatha ochreipennis\*](#) Wavy-lined Zanclognatha Moth

[\*Palthis angulalis\*](#) Dark-spotted Palthis Moth

[\*Zanclognatha pedipilalis\*](#) Grayish Zanclognatha Moth

[\*Macrochilo louisiana\*](#) Louisiana Macrochilo

[\*Phalaenostola larentioides\*](#) Black-banded Owlet Moth

[\*Bleptina caradrinalis\*](#) Bent-winged Owlet Moth

[\*Hypena baltimoralis\*](#) Baltimore Bomolocha Moth

[\*Hypena scabra\*](#) Green Cloverworm Moth

[\*Caenurgia chloropha\*](#) Vetch Looper Moth

[\*Scoliopteryx libatrix\*](#) The Herald

[\*Zale lunata\*](#) Lunate Zale

[\*Catocala innubens\*](#) The Betrothed

[\*Catocala cara\*](#) Darling Underwing

[\*Ascalapha odorata\*](#) Black Witch

[\*Caenurgina erechtea\*](#) Forage Looper Moth

[\*Rivula propinqualis\*](#) Spotted Grass Moth

[\*Orgyia leucostigma\*](#) White-marked Tussock Moth

[\*Stigmella multispicata\*](#)

[\*Acrolophus popeanella\*](#) Clemens' Grass Tubeworm Moth

[\*Homostinea curviliniella\*](#)

[\*Tinea apicimaculella\*](#)

[\*Thyridopteryx ephemeraeformis\*](#) Evergreen Bagworm Moth

[\*Caloptilia bimaculatella\*](#)

[\*Phyllocnistis sp.\*](#)

[\*Agonopterix thelmae\*](#)

[\*Depressaria depressana\*](#) Purple Carrot-seed Moth

[\*Agonopterix argillacea\*](#)

[\*Machimia tentoriferella\*](#) Gold-striped Leaf-tier Moth

[\*Gonioterma mistrella\*](#)

[\*Coleophora cratipennella\*](#) Streaked Coleophora Moth

[\*Limnaecia phragmitella\*](#) Shy Cosmet

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[\*Battaristis vittella\*](#) Stripe-backed Moth

[\*Gnorimoschema gallaesolidaginis\*](#) Goldenrod Gall Moth

[\*Aristotelia roseosuffusella\*](#)

[\*Carposina fernaldiana\*](#) Currant Fruitworm Moth

[\*Plutella xylostella\*](#) Diamondback Moth

[\*Atteva aurea\*](#) Ailanthus Webworm Moth

[\*Bucculatrix angustata\*](#)

[\*Synanthedon exitiosa\*](#) Peachtree Borer Moth

[\*Phaneta raracana\*](#)

[\*Epiblema otiosana\*](#) Bidens Borer Moth

[\*Olethreutes fasciatana\*](#)

[\*Gretchena bolliana\*](#) Pecan Bud Moth

[\*Paralobesia viteana\*](#) Grape Berry Moth

[\*Eucosma similiana\*](#)

[\*Cydia latiferreana\*](#) Filbertworm Moth

[\*Eucosma dorsisignatana\*](#) Triangle-backed Eucosma

[\*Proteoteras aesculana\*](#)

[\*Ancylis metamelana\*](#)

[\*Cydia pomonella\*](#) Codling Moth

[\*Phaneta tomonana\*](#) Aster-head Phaneta Moth

[\*Platynota idaeusalis\*](#) Tufted Apple-Bud Moth

[\*Pandemis limitata\*](#) Three-lined Leafroller Moth

[\*Clepsis clemensiana\*](#)

[\*Clepsis peritana\*](#) Garden Tortrix

[\*Argyrotaenia velutinana\*](#) Red Banded Leafroller Moth

[\*Cochylis hospes\*](#) Banded Sunflower Moth

[\*Adoxophyes negundana\*](#)

[\*Choristoneura parallela\*](#) Spotted Fireworm Moth

[\*Choristoneura rosaceana\*](#) Oblique-banded Leafroller Moth

[\*Aethes sexdentata\*](#)

[\*Elophila oblitalis\*](#) Waterlily Leafcutter Moth

[\*Elophila tinealis\*](#)

[\*Elophila gyralis\*](#)

[\*Elophila icciusalis\*](#) Pondsides Pyralid

[\*Chrysoteuchia topiaria\*](#)

[\*Pediasia trisecta\*](#) Sod Webworm Moth

[\*Platytes vobisne\*](#)

[\*Crambus agitatellus\*](#)

[\*Microcrambus biguttellus\*](#) Gold-stripe Grass-veneer Moth

[\*Parapediasia teterrella\*](#) Bluegrass Webworm Moth

[\*Crambus albellus\*](#) Small White Grass-veneer

[\*Fissicrambus mutabilis\*](#) Changeable Grass-veneer

[\*Crambus praefectellus\*](#) Common Grass-veneer Moth

[\*Agriphila ruricolellus\*](#)

[\*Agriphila vulgivagella\*](#)

[\*Microcrambus elegans\*](#) Elegant Grass-veneer

[\*Dicymolomia julianalis\*](#)

[\*Chalcoela iphitalis\*](#) Sooty Winged Chalcoela Moth

[\*Eustixia pupula\*](#)

[\*Loxostegopsis merrickalis\*](#)

[\*Fumibotys fumalis\*](#)

[\*Udea rubigalis\*](#) Celery Leaf-tier Moth

[\*Achyra rantalis\*](#)

[\*Pyrausta signatalis\*](#)

[\*Pyrausta orphisalis\*](#) Orange Mint Moth

# Butterflies and Moths of North America



[Sitochroa palesis](#)

[Nomophila nearctica](#) Lucerne Moth

[Paracorsia repandalis](#)

[Scoparia biplagiata](#)

[Scoparia basalis](#)

[Galleria mellonella](#) Greater Wax Moth

[Vitula edmandsii](#)

[Dioryctria reniculelloides](#) Spruce Coneworm Moth

[Moodna ostrinella](#) Darker Moodna Moth

[Dioryctria abietivorella](#) Evergreen Coneworm Moth

[Phycitodes reliquella](#)

[Eulogia ochrifrontella](#)

[Pyralis farinalis](#) Meal Moth

[Emmelina monodactyla](#) Morning-glory Plume Moth

[Amblyptilia pica](#) Geranium Plume Moth

[Cnaemidophorus rhododactyla](#)

[Anavitrinella pampinaria](#) Common Gray

[Campaea perlata](#) Pale Beauty

[Glenoides texanaria](#) Texas Gray

[Macaria aemulataria](#) Common Angle

[Paleacrita vernata](#) Spring Cankerworm Moth

[Protoboarmia porcelaria](#) Porcelain Gray

[Macaria bisignata](#) Red-headed inchworm

[Speranza pustularia](#) Lesser Maple Spanworm Moth

[Digrammia gnophosaria](#) Hollow-spotted Angle

[Ectropis crepuscularia](#) The Small Engrailed

[Eusarca confusaria](#) Confused Eusarca

[Prochoerodes lineola](#) Large Maple Spanworm Moth

[Macaria minorata](#) Minor Angle Moth

[Metanema inatomaria](#) Pale Metanema

[Xanthorhoe ferrugata](#) Red Twin-spot

[Coryphista meadii](#) Barberry Geometer

[Orthonama obstipata](#) The Gem

[Eupithecia miserulata](#)

[Costaconvexa centrostrigaria](#) The Bent-line Carpet

[Eulithis sp.](#)

[Horisme intestinata](#) Brown Bark Carpet

[Operophtera bruceata](#) The Bruce Spanworm

[Haematopsis grataria](#) Chickweed Geometer

[Scopula cacuminaria](#) Frosted Tan Wave

[Pleuroprucha insulsaria](#) Common Tan Wave

[Scopula limboundata](#) Large Lace-border

[Lobocleta ossularia](#) Drab Brown Wave

[Tolype velleda](#) Large Tolype Moth

[Scythris limbella](#) Chenopodium Scythris Moth

www.butterfliesandmoths.org