

# Butterflies and Moths of North America



www.butterfliesandmoths.org

[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Achalarus lyciades\*](#) Hoary Edge  
[\*Thorybes pylades\*](#) Northern Cloudywing  
[\*Thorybes bathyllus\*](#) Southern Cloudywing  
[\*Staphylus hayhurstii\*](#) Hayhurst's Scallopwing  
[\*Erynnis brizo\*](#) Sleepy Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Erynnis horatius\*](#) Horace's Duskywing  
[\*Erynnis baptisiae\*](#) Wild Indigo Duskywing  
[\*Pholisora catullus\*](#) Common Sootywing  
[\*Ancyloxypha numitor\*](#) Least Skipper  
[\*Hylephila phyleus\*](#) Fiery Skipper  
[\*Atalopedes campestris\*](#) Sachem  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Polites themistocles\*](#) Tawny-edged Skipper  
[\*Polites origenes\*](#) Crossline Skipper  
[\*Wallengrenia egeremet\*](#) Northern Broken-Dash  
[\*Wallengrenia otho\*](#) Southern Broken-Dash  
[\*Pompeius verna\*](#) Little Glassywing  
[\*Anatrytone logan\*](#) Delaware Skipper  
[\*Poanes zabulon\*](#) Zabulon Skipper  
[\*Euphyes vestris\*](#) Dun Skipper  
[\*Amblyscirtes vialis\*](#) Common Roadside-Skipper  
[\*Amblyscirtes belli\*](#) Bell's Roadside-Skipper  
[\*Battus philenor\*](#) Pipevine Swallowtail  
[\*Eurytides marcellus\*](#) Zebra Swallowtail  
[\*Papilio polyxenes\*](#) Black Swallowtail  
[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail  
[\*Papilio troilus\*](#) Spicebush Swallowtail  
[\*Papilio cresphontes\*](#) Giant Swallowtail  
[\*Anthocharis midea\*](#) Falcate Orangetip  
[\*Euchloe olympia\*](#) Olympia Marble  
[\*Pieris rapae\*](#) Cabbage White  
[\*Pontia protodice\*](#) Checkered White  
[\*Colias philodice\*](#) Clouded Sulphur  
[\*Colias eurytheme\*](#) Orange Sulphur  
[\*Zerene cesonia\*](#) Southern Dogface  
[\*Phoebis sennae\*](#) Cloudless Sulphur  
[\*Pyrisitia lisa\*](#) Little Yellow  
[\*Abaeis nicippe\*](#) Sleepy Orange  
[\*Nathalis iole\*](#) Dainty Sulphur  
[\*Callophrys henrici\*](#) Henry's Elfin  
[\*Callophrys niphon\*](#) Eastern Pine Elfin  
[\*Satyrrium calanus\*](#) Banded Hairstreak  
[\*Calycopis cecrops\*](#) Red-banded Hairstreak  
[\*Strymon melinus\*](#) Gray Hairstreak  
[\*Cupido comyntas\*](#) Eastern Tailed-Blue

# Butterflies and Moths of North America



- [\*Celastrina neglecta\*](#) Summer Azure  
[\*Lhytheana carmentis\*](#) American Snout  
[\*Danaus plexippus\*](#) Monarch  
[\*Euptoieta claudia\*](#) Variegated Fritillary  
[\*Speyeria cybele\*](#) Great Spangled Fritillary  
[\*Limenitis arthemis\*](#) Red-spotted Purple or White Admiral  
[\*Limenitis arthemis astyanax\*](#) 'Astyanax' Red-spotted Purple  
[\*Limenitis archippus\*](#) Viceroy  
[\*Asterocampa celtis\*](#) Hackberry Emperor  
[\*Chlosyne nycteis\*](#) Silvery Checkerspot  
[\*Phyciodes tharos\*](#) Pearl Crescent  
[\*Euphydryas phaeton\*](#) Baltimore Checkerspot  
[\*Junonia coenia\*](#) Common Buckeye  
[\*Polygonia interrogationis\*](#) Question Mark  
[\*Polygonia comma\*](#) Eastern Comma  
[\*Polygonia progne\*](#) Gray Comma  
[\*Nymphalis antiopa\*](#) Mourning Cloak  
[\*Vanessa atalanta\*](#) Red Admiral  
[\*Vanessa cardui\*](#) Painted Lady  
[\*Vanessa virginiensis\*](#) American Lady  
[\*Anaea andria\*](#) Goatweed Leafwing  
[\*Enodia anhedon\*](#) Northern Pearly-eye  
[\*Megisto cymela\*](#) Little Wood-Satyr  
[\*Cercyonis pegala\*](#) Common Wood-Nymph  
[\*Hemileuca maia\*](#) Eastern buckmoth  
[\*Automeris io\*](#) Io moth  
[\*Hyalophora cecropia\*](#) Cecropia silkmoth  
[\*Actias luna\*](#) Luna moth  
[\*Antheraea polyphemus\*](#) Polyphemus moth  
[\*Sphingicampa bisecta\*](#) Bisected honey locust moth  
[\*Anisota senatoria\*](#) Orange-tipped oakworm moth  
[\*Anisota virginiensis\*](#) Pink-striped oakworm moth  
[\*Dryocampa rubicunda\*](#) Rosy maple moth  
[\*Eacles imperialis\*](#) Imperial moth  
[\*Anisota stigma\*](#) Spiny oakworm moth  
[\*Sphingicampa bicolor\*](#) Bicolored honey locust moth  
[\*Amorpha juglandis\*](#) Walnut sphinx  
[\*Paonias excaecata\*](#) Blinded sphinx  
[\*Paonias myops\*](#) Small-eyed sphinx  
[\*Ceratomia catalpae\*](#) Catalpa sphinx  
[\*Ceratomia undulosa\*](#) Waved sphinx  
[\*Manduca jasminearum\*](#) Ash sphinx  
[\*Manduca quinquemaculata\*](#) Five-spotted hawkmoth  
[\*Manduca sexta\*](#) Carolina sphinx  
[\*Paratrea plebeja\*](#) Plebeian sphinx  
[\*Deidamia inscriptum\*](#) Lettered sphinx  
[\*Hemaris diffinis\*](#) Snowberry Clearwing  
[\*Sphecodina abbottii\*](#) Abbott's sphinx  
[\*Eumorpha pandorus\*](#) Pandorus Sphinx  
[\*Amphion floridensis\*](#) Nessus sphinx  
[\*Darapsa myron\*](#) Virginia creeper sphinx  
[\*Darapsa choerilus \(pholus\)\*](#) Azalea Sphinx  
[\*Hyles lineata\*](#) White-lined Sphinx  
[\*Xylophanes tersa\*](#) Tersa Sphinx  
[\*Schizura unicornis\*](#) Unicorn Caterpillar Moth

# Butterflies and Moths of North America



[\*Chrysodeixis includens\*](#) Soybean Looper Moth

[\*Crambidia lithosoides\*](#) Dark Gray Lichen Moth

[\*Crambidia pallida\*](#) Pale Lichen Moth

[\*Apantesis carlotta\*](#)

[\*Crambidia uniformis\*](#) Uniform Lichen Moth

[\*Grammia anna\*](#) Anna Tiger Moth

[\*Cisthene packardii\*](#) Packard's Lichen Moth

[\*Grammia figurata\*](#) Figured Tiger Moth

[\*Hypoprepia fucosa\*](#) Painted Lichen Moth

[\*Grammia oithona\*](#) Oithona Tiger Moth

[\*Pyrrharctia isabella\*](#) Isabella Tiger Moth or Banded Woollybear

[\*Halysidota tessellaris\*](#) Banded Tussock Moth or Pale Tiger Moth

[\*Spilosoma congrua\*](#) Agreeable Tiger Moth

[\*Cycnia tenera\*](#) Delicate Cycnia or Dogbane Tiger Moth

[\*Hyphantria cunea\*](#) Fall Webworm Moth

[\*Ciseps fulvicollis\*](#) Yellow-collared Scape Moth

[\*Euerythra phasma\*](#) Red-tailed Specter

[\*Virbia laeta\*](#) Joyful Holomelina

[\*Hypercompe scribonia\*](#) Great Leopard Moth

[\*Virbia opella\*](#) Tawny Holomelina

[\*Apantesis phalerata\*](#) Harnessed Moth

[\*Virbia aurantiaca\*](#) Orange Holomelina

[\*Apantesis nais\*](#) Nais Tiger Moth

[\*Dasychira tephra\*](#) Tephra Tussock Moth

[\*Epicallima argenticinctella\*](#)

[\*Prodoxus quinquepunctellus\*](#) Five-spotted Bogus Yucca Moth

[\*Antaeotricha schlaegeri\*](#)

[\*Antaeotricha leucillana\*](#) Pale Gray Bird-dropping Moth

[\*Blastobasis glandulella\*](#) Acorn Moth

[\*Fascista cercerisella\*](#) Redbud Leaffolder Moth

[\*Fru menta nundinella\*](#) Fru menta nundinella

[\*Dichomeris ligulella\*](#) Palmerworm Moth

[\*Digrammia gnophosaria\*](#) Hollow-spotted Angle

[\*Exelis dicolus\*](#)

[\*Lytrosis unitaria\*](#) Common Lytrosis

[\*Protitame virginalis\*](#) Virgin moth

[\*Glenoides texanaria\*](#) Texas Gray

[\*Pero ancetaria\*](#) Hübner's Pero

[\*Speranza pustularia\*](#) Lesser Maple Spanworm Moth

[\*Tornos scolopacinarius\*](#)

[\*Xanthotype urticaria\*](#) False Crocus Geometer

[\*Macaria promiscuata\*](#) Promiscuous Angle

[\*Ectropis crepuscularia\*](#) The Small Engrailed

[\*Besma quercivoraria\*](#) Oak Besma

[\*Macaria bicolorata\*](#)

[\*Epimecis hortaria\*](#) Tulip-Tree Beauty

[\*Eusarca confusaria\*](#) Confused Eusarca

[\*Macaria aemulataria\*](#) Common Angle

[\*Hypagyrtis unipunctata\*](#) One-Spotted Variant

[\*Eutrappela clemataria\*](#) Curved-Toothed Geometer

[\*Mellilla xanthometata\*](#) Orange Wing Moth

[\*Patalene olyzonaria\*](#) Juniper Geometer

[\*Lomographa vestaliata\*](#) White Spring Moth

[\*Lychnosea intermicata\*](#)

[\*Digrammia continuata\*](#) Curve-lined Angle

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[\*Prochoerodes lineola\*](#) Large Maple Spanworm Moth

[\*Melanolophia canadaria\*](#) Canadian melanolophia

[\*Probole alienaria\*](#) Alien Probole

[\*Iridopsis defectaria\*](#) Brown-shaded Gray

[\*Euchlaena amoenaria\*](#) Deep Yellow Euchlaena

[\*Probole amicaria\*](#)

www.butterfliesandmoths.org

[\*Iridopsis humaria\*](#) Small Purplish Gray

[\*Euchlaena madusaria\*](#)

[\*Tetracis crocallata\*](#) Yellow Slant-line

[\*Anavitrinella pampinaria\*](#) Common Gray

[\*Euchlaena marginaria\*](#)

[\*Chlorochlamys chloroleucaria\*](#) Blackberry Looper Moth

[\*Dichorda iridaria\*](#) Showy Emerald

[\*Nemoria bistrifaria\*](#) Red-fringed Emerald

[\*Nemoria rubrifrontaria\*](#) Red-fronted Emerald

[\*Synchlora aerata\*](#) Wavy-Lined Emerald

[\*Eulithis gracilineata\*](#) Greater Grapevine Looper Moth

[\*Eupithecia miserulata\*](#)

[\*Hydriomena mississippiensis\*](#)

[\*Orthonama obstipata\*](#) The Gem

[\*Anticlea multiferata\*](#) Many-lined Carpet

[\*Coryphista meadii\*](#) Barberry Geometer

[\*Costaconvexa centrostrigaria\*](#) The Bent-line Carpet

[\*Eubaphe mendica\*](#) The Beggar

[\*Eulithis diversilineata\*](#) Lesser Grapevine Looper Moth

[\*Haematopis grataria\*](#) Chickweed Geometer

[\*Idaea demissaria\*](#) Red-Bordered Wave

[\*Idaea obfusaria\*](#) Rippled Wave

[\*Lobocleta ossularia\*](#) Drab Brown Wave

[\*Leptostales rubromarginaria\*](#) Dark-ribboned Wave

[\*Lobocleta peralbata\*](#)

[\*Pleuroprucha insulsaria\*](#) Common Tan Wave

[\*Scopula inductata\*](#) Soft-lined Wave

[\*Scopula limboundata\*](#) Large Lace-border

[\*Timandra amaturaria\*](#) Cross-lined Waved

[\*Cyclophora nanaria\*](#)