

# Butterflies and Moths of North America



[www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Erynnis icelus\*](#) Dreamy Duskywing  
[\*Erynnis brizo\*](#) Sleepy Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Erynnis baptisiae\*](#) Wild Indigo Duskywing  
[\*Pyrgus communis\*](#) Common Checkered-Skipper  
[\*Pholisora catullus\*](#) Common Sootywing  
[\*Nastra lherminier\*](#) Swarthy Skipper  
[\*Thymelicus lineola\*](#) European Skipper  
[\*Hylephila phyleus\*](#) Fiery Skipper  
[\*Hesperia leonardus\*](#) Leonard's Skipper  
[\*Hesperia metea\*](#) Cobweb Skipper  
[\*Hesperia sassacus\*](#) Indian Skipper  
[\*Atalopedes campestris\*](#) Sachem  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Polites themistocles\*](#) Tawny-edged Skipper  
[\*Polites origenes\*](#) Crossline Skipper  
[\*Wallengrenia egeremet\*](#) Northern Broken-Dash  
[\*Poanes hobomok\*](#) Hobomok Skipper  
[\*Poanes zabulon\*](#) Zabulon Skipper  
[\*Poanes viator\*](#) Broad-winged Skipper  
[\*Euphyes conspicua\*](#) Black Dash  
[\*Euphyes dion\*](#) Dion Skipper  
[\*Atrytonopsis hianna\*](#) Dusted Skipper  
[\*Panoquina ocola\*](#) Ocola Skipper  
[\*Battus philenor\*](#) Pipevine Swallowtail  
[\*Eurytides marcellus\*](#) Zebra Swallowtail  
[\*Papilio polyxenes\*](#) Black Swallowtail  
[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail  
[\*Papilio troilus\*](#) Spicebush Swallowtail  
[\*Anthocharis midea\*](#) Falcate Orangetip  
[\*Pieris rapae\*](#) Cabbage White  
[\*Pontia protodice\*](#) Checkered White  
[\*Colias philodice\*](#) Clouded Sulphur  
[\*Colias eurytheme\*](#) Orange Sulphur  
[\*Phoebis sennae\*](#) Cloudless Sulphur  
[\*Phoebis philea\*](#) Orange-barred Sulphur  
[\*Pyrisitia lisa\*](#) Little Yellow  
[\*Abaeis nicippe\*](#) Sleepy Orange  
[\*Feniseca tarquinius\*](#) Harvester  
[\*Lycaena phlaeas\*](#) American Copper  
[\*Lycaena epixanthe\*](#) Bog Copper  
[\*Callophrys gryneus\*](#) Juniper Hairstreak  
[\*Callophrys gryneus gryneus\*](#) 'Olive' Juniper Hairstreak  
[\*Callophrys augustinus\*](#) Brown Elfin  
[\*Callophrys irus\*](#) Frosted Elfin  
[\*Callophrys henrici\*](#) Henry's Elfin

# Butterflies and Moths of North America



- [Callophrys niphon](#) Eastern Pine Elfin  
[Satyrium favonius](#) Oak Hairstreak  
[Satyrium tifus](#) Coral Hairstreak  
[Satyrium calanus](#) Banded Hairstreak  
[Satyrium liparops](#) Striped Hairstreak  
[Calycopis cecrops](#) Red-banded Hairstreak  
[Strymon melinus](#) Gray Hairstreak  
[Parrhasius m album](#) White-M Hairstreak  
[Cupido comyntas](#) Eastern Tailed-Blue  
[Celastrina ladon](#) Spring Azure  
[Celastrina neglecta](#) Summer Azure  
[Celastrina idella](#) Holly Azure  
[Libytheana carinenta](#) American Snout  
[Danaus plexippus](#) Monarch  
[Euptoieta claudia](#) Variegated Fritillary  
[Speyeria cybele](#) Great Spangled Fritillary  
[Boloria selene](#) Silver-bordered Fritillary  
[Limenitis arthemis](#) Red-spotted Purple or White Admiral  
[Limenitis arthemis astyanax](#) 'Astyanax' Red-spotted Purple  
[Limenitis archippus](#) Viceroy  
[Phyciodes tharos](#) Pearl Crescent  
[Euphydryas phaeton](#) Baltimore Checkerspot  
[Junonia coenia](#) Common Buckeye  
[Polygonia interrogationis](#) Question Mark  
[Aglais milberti](#) Milbert's Tortoiseshell  
[Nymphalis antiopa](#) Mourning Cloak  
[Vanessa atalanta](#) Red Admiral  
[Vanessa cardui](#) Painted Lady  
[Vanessa virginiensis](#) American Lady  
[Satyroides appalachia](#) Appalachian Brown  
[Neonympha areolatus](#) Georgia Satyr  
[Drepana arcuata](#) Arched Hooktip  
[Automeris io](#) Io moth  
[Hemileuca maia](#) Eastern buckmoth  
[Hyalophora cecropia](#) Cecropia silkmoth  
[Antheraea polyphemus](#) Polyphemus moth  
[Callosamia angulifera](#) Tuliptree silkmoth  
[Callosamia promethea](#) Promethea silkmoth  
[Actias luna](#) Luna moth  
[Dryocampa rubicunda](#) Rosy maple moth  
[Anisota senatoria](#) Orange-tipped oakworm moth  
[Eacles imperialis](#) Imperial moth  
[Anisota stigma](#) Spiny oakworm moth  
[Anisota virginiensis](#) Pink-striped oakworm moth  
[Sphingicampa bicolor](#) Bicolored honey locust moth  
[Citheronia regalis](#) Royal Walnut Moth  
[Citheronia sepulcralis](#) Pine-devil Moth  
[Paratreia plebeja](#) Plebeian sphinx  
[Lapara coniferarum](#) Southern pine sphinx  
[Ceratonia amyntor](#) Elm sphinx  
[Smerinthus jamaicensis](#) Twin-spotted sphinx  
[Ceratonia catalpae](#) Catalpa sphinx  
[Amorpha juglandis](#) Walnut sphinx  
[Ceratonia undulosa](#) Waved sphinx  
[Lapara bombycoides](#) Northern pine sphinx

# Butterflies and Moths of North America



- [\*Sphinx drupiferarum\*](#) Wild cherry sphinx  
[\*Manduca jasminearum\*](#) Ash sphinx  
[\*Manduca quinquemaculata\*](#) Five-spotted hawkmoth  
[\*Sphinx gordius\*](#) Apple sphinx  
[\*Agrius cingulata\*](#) Pink-spotted hawkmoth  
[\*Manduca sexta\*](#) Carolina sphinx  
[\*Paonias astylus\*](#) Huckleberry sphinx  
[\*Manduca rustica\*](#) Rustic sphinx  
[\*Sphinx kalmiae\*](#) Laurel sphinx  
[\*Paonias excaecata\*](#) Blinded sphinx  
[\*Paonias myops\*](#) Small-eyed sphinx  
[\*Dolba hyloeus\*](#) Pawpaw sphinx  
[\*Hyles lineata\*](#) White-lined Sphinx  
[\*Enyo lugubris\*](#) Mournful sphinx  
[\*Aellopos titan\*](#) Titan sphinx  
[\*Eumorpha achemon\*](#) Achemon sphinx  
[\*Eumorpha pandorus\*](#) Pandorus Sphinx  
[\*Hemaris diffinis\*](#) Snowberry Clearwing  
[\*Darapsa myron\*](#) Virginia creeper sphinx  
[\*Hemaris thysbe\*](#) Hummingbird Clearwing  
[\*Xylophanes tersa\*](#) Tersi Sphinx  
[\*Darapsa choerilus \(pholus\)\*](#) Azalea Sphinx  
[\*Amphion floridensis\*](#) Nessus sphinx  
[\*Cautethia grotei\*](#) Grote's sphinx  
[\*Lochmaeus manteo\*](#) Variable Oakleaf Caterpillar Moth  
[\*Schizura concinna\*](#) Red-humped Caterpillar Moth  
[\*Heterocampa guttivitta\*](#) Saddled Prominent  
[\*Nadata gibbosa\*](#) White-dotted Prominent  
[\*Heterocampa umbrata\*](#) White-blotched Heterocampa  
[\*Schizura unicornis\*](#) Unicorn Caterpillar Moth  
[\*Macrurocampa marthesia\*](#) Mottled Prominent  
[\*Datana perspicua\*](#) Spotted Datana  
[\*Datana major\*](#) Major Datana  
[\*Heterocampa biundata\*](#) Wavy-lined Heterocampa  
[\*Peridea angulosa\*](#) Angulose Prominent  
[\*Heterocampa zayasi\*](#)  
[\*Dasylophia anguina\*](#) Black-Spotted Prominent  
[\*Hyperstrotia flaviguttata\*](#) Yellow-spotted Graylet  
[\*Homophoberia apicosa\*](#) Black Wedge-spot  
[\*Protodeltote muscosula\*](#) Large Mossy Lithacodia  
[\*Leuconycta diptheroides\*](#) Green Leuconycta  
[\*Marimatha nigrofimbria\*](#) Black-bordered Lemon Moth  
[\*Cerma cerintha\*](#) Tufted Bird-Dropping Moth  
[\*Hyperstrotia secta\*](#) Black-patched Graylet  
[\*Acronicta americana\*](#) American Dagger Moth  
[\*Acronicta exilis\*](#) Exiled Dagger Moth  
[\*Acronicta retardata\*](#) Retarded Dagger Moth  
[\*Polygrammate hebraicum\*](#) The Hebrew  
[\*Acronicta lobeliae\*](#) Lobelia Dagger Moth  
[\*Athetis tarda\*](#) The Slow Poke  
[\*Spodoptera ornithogalli\*](#) Yellow-striped Armyworm Moth  
[\*Nedra ramosula\*](#) Gray Half-Spot  
[\*Condica vecors\*](#) Dusky Groundling  
[\*Condica confederata\*](#) The Confederate  
[\*Callopietria cordata\*](#) Silver-spotted Fern Moth

www.butterfliesandmoths.org



# Butterflies and Moths of North America



- [\*Psaphida resimens\*](#) Figure-Eight Sallow  
[\*Sunira bicolorago\*](#) Bicolored Sallow  
[\*Charadra deridens\*](#) The Laughing Larkspur  
[\*Colocasia flavicomis\*](#) Yellowhorn Moth  
[\*Allagrapha aerea\*](#) Unspotted Looper Moth  
[\*Anagrapha falcifera\*](#) Celery Looper Moth  
[\*Chrysodeixis includens\*](#) Soybean Looper Moth  
[\*Autographa precationis\*](#) The Common Looper Moth  
[\*Morrisonia confusa\*](#) Confused Woodgrain  
[\*Lacinipolia renigera\*](#) Bristly Cutworm Moth  
[\*Elaphria grata\*](#) Grateful Midget  
[\*Mythimna unipuncta\*](#) Armyworm Moth  
[\*Orthodes majuscula\*](#) Rustic Quaker  
[\*Leucania adjuta\*](#)  
[\*Noctua pronuba\*](#) European Yellow Underwing  
[\*Cosmia calami\*](#) American dun-bar Moth  
[\*Anicla infecta\*](#) Green Cutworm Moth  
[\*Phosphila turbulenta\*](#) Turbulent Phosphila  
[\*Agrotis ipsilon\*](#) Ipsilon Dart  
[\*Schinia trifascia\*](#) Three-lined Flower Moth  
[\*Psychomorpha epimenis\*](#) Grapevine Epimenis  
[\*Eudryas grata\*](#) Beautiful Wood-nymph  
[\*Eudryas unio\*](#) Pearly Wood-nymph  
[\*Alypia octomaculata\*](#) Eight-spotted Forester  
[\*Pyrrharctia isabella\*](#) Isabella Tiger Moth or Banded Woollybear  
[\*Grammia arge\*](#) Arge Tiger Moth  
[\*Hyphantria cunea\*](#) Fall Webworm Moth  
[\*Crambidia uniformis\*](#) Uniform Lichen Moth  
[\*Estigmene acrea\*](#) Salt Marsh Moth or Acrea Moth  
[\*Cynia tenera\*](#) Delicate Cynia or Dogbane Tiger Moth  
[\*Euchaetes egle\*](#) Milkweed Tussock Moth or Milkweed Tiger Moth  
[\*Hypoprepia fucosa\*](#) Painted Lichen Moth  
[\*Spilosoma virginica\*](#) Virginian Tiger Moth or Yellow Woollybear Moth  
[\*Virbia opella\*](#) Tawny Holomelina  
[\*Halysidota tessellaris\*](#) Banded Tussock Moth or Pale Tiger Moth  
[\*Phragmatobia lineata\*](#) Lined Ruby Tiger Moth  
[\*Haploa clymene\*](#) Clymene Moth  
[\*Apantesis nais\*](#) Nais Tiger Moth  
[\*Hypercompe scribonia\*](#) Great Leopard Moth  
[\*Halysidota sp.\*](#)  
[\*Idia rotundalis\*](#) Rotund Idia Moth  
[\*Idia aemula\*](#) Common Idia Moth  
[\*Phalaenostola larentioides\*](#) Black-banded Owlet Moth  
[\*Idia julia\*](#)  
[\*Idia lubricalis\*](#) Glossy Black Idia Moth  
[\*Renia adspergillus\*](#) Speckled Renia Moth  
[\*Idia americalis\*](#) American Idia Moth  
[\*Phalaenophana pyramusalis\*](#) Dark-banded Owlet Moth  
[\*Palthis asopialis\*](#) Faint-spotted Palthis Moth  
[\*Palthis angulalis\*](#) Dark-spotted Palthis Moth  
[\*Bleptina caradrinalis\*](#) Bent-winged Owlet Moth  
[\*Lascoria ambigualis\*](#) Ambiguous Moth  
[\*Chytolita morbidalis\*](#) Morbid Owlet Moth  
[\*Hypena baltimoralis\*](#) Baltimore Bomolocha Moth  
[\*Hypena scabra\*](#) Green Cloverworm Moth

# Butterflies and Moths of North America



[Quandara brauneata](#)

[Alotria elonympha](#) False Underwing

[Panopoda rufimargo](#) Red-lined Panopoda

[Zale horrida](#) Horrid Zale

[Zale lunata](#) Lunate Zale

[Parallelia bistriaris](#) Maple Looper Moth

[Pangrapta decoralis](#) Decorated Owlet

[Orgyia leucostigma](#) White-marked Tussock Moth

[Paectes abrostoloides](#) Large Paectes

[Meganola phylla](#)

[Epicallima argenticinctella](#)

[Promalactis suzukiella](#) Suzuki's Promalactis Moth

[Decantha stecia](#)

[Inga sparsiciliella](#)

[Acrolophus popeanella](#) Clemens' Grass Tubeworm Moth

[Acrolophus plumifrontella](#)

[Hybroma servulella](#)

[Limnaecia phragmitella](#) Shy Cosmet

[Arogalea cristifasciella](#)

[Atteva aurea](#) Ailanthus Webworm Moth

[Prionoxystus robiniae](#) Carpenterworm Moth

[Phaecasiophora niveiguttana](#) Labyrinth Moth

[Ecdytophaga insitiana](#) Locust Twig Borer Moth

[Eumarozia malachitana](#) Sculptured Moth

[Apotomis albeolana](#)

[Ancylis divisana](#)

[Ecdytophaga punctidiscana](#) Dotted Ecdytophaga Moth

[Phaecasiophora confixana](#) Macrame Moth

[Ancylis comptana](#)

[Endothenia hebesana](#) Verbena Bud Moth

[Argyrotaenia quercifoliana](#) Oak Leafroller

[Acleris chalybeana](#)

[Choristoneura rosaceana](#) Oblique-banded Leafroller Moth

[Pandemis limitata](#) Three-lined Leafroller Moth

[Platynota idaeusalis](#) Tufted Apple-Bud Moth

[Sparganothis reticulatana](#) Reticulated Fruitworm Moth

[Argyrotaenia alisellana](#)

[Cenopis pettitana](#) Maple-basswood Leafroller Moth

[Argyrotaenia velutinana](#) Red Banded Leafroller Moth

[Pandemis lamprosana](#)

[Clepsia peritana](#) Garden Tortrix

[Thaumato-grapha jonesi](#) Psychedelic Jones Moth

[Pyromorpha dimidiata](#) Orange-patched Smoky Moth

[Acharia stimulea](#) Saddleback Caterpillar Moth

[Euclea delphinii](#) Spiny Oak-slug Moth

[Natada nasoni](#) Nason's Slug Moth

[Lithacodes fasciola](#) Yellow-shouldered Slug Moth

[Tortricidia flexuosa](#)

[Parasa chloris](#) Smaller Parasa

[Isa textula](#) Crowned Slug Moth

[Apoda biguttata](#) Shagreened Slug Moth

[Prolimacodes badia](#) Skiff Moth

[Elophila gyralis](#)

[Elophila icciusalis](#) Pondsides Pyralid

[Parapediasia decorella](#)

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[Microcrambus biguttellus](#) Gold-stripe Grass-veneer Moth

[Fissicrambus mutabilis](#) Changeable Grass-veneer

[Crambus praefectellus](#) Common Grass-veneer Moth

[Pediasia trisecta](#) Sod Webworm Moth

[Microcrambus elegans](#) Elegant Grass-veneer

[Parapediasia teterella](#) Bluegrass Webworm Moth

[Crambus agitatellus](#)

[Evergestis rimosalis](#)

[Chalcoela iphitalis](#) Sooty Winged Chalcoela Moth

[Lipocosma septa](#)

[Glaphyria glaphyralis](#) Common Glaphyria

[Eustixia pupula](#)

[Pyrausta rubricalis](#)

[Crocidophora tubercularis](#)

[Apogeshna stenialis](#)

[Pyrausta signatalis](#)

[Palpita magniferalis](#) Splendid Palpita

[Nomophila nearctica](#) Lucerne Moth

[Herpetogramma pertextalis](#)

[Desmia funeralis/maculalis](#)

[Polygrammodes flavidalis](#)

[Herpetogramma bipunctalis](#) Two-spotted Herpetogramma

[Udea rubigalis](#) Celery Leaf-tier Moth

[Parapoynx maculalis](#)

[Arta olivalis](#)

[Oneida lunulalis](#) Orange-tufted Oneida Moth

[Eulogia ochrifrontella](#)

[Dioryctria zimmermani](#) Zimmerman Pine Moth

[Salebriaria engeli](#)

[Ephestiodes infimella](#)

[Atascosa glareosella](#)

[Plodia interpunctella](#) Indian-Meal Moth

[Sciota uvinella](#) Sweetgum Leafroller Moth

[Hypsopygia olinalis](#)

[Aglossa disciferalis](#) Pink-masked Pyralid Moth

[Aglossa cuprina](#) Grease Moth

[Pyralis farinalis](#) Meal Moth

[Melanolophia canadaria](#) Canadian melanolophia

[Patalene olyzonaria](#) Juniper Geometer

[Digrammia ocellinata](#) Faint-spotted Angle

[Eusarca confusaria](#) Confused Eusarca

[Macaria aemulataria](#) Common Angle

[Epimecis hortaria](#) Tulip-Tree Beauty

[Probote amicaria](#)

[Eutrappela clemataria](#) Curved-Toothed Geometer

[Lambdina fervidaria](#) Curve-lined Looper

[Campaea perlata](#) Pale Beauty

[Glenoides texanaria](#) Texas Gray

[Euchlaena amoenaria](#) Deep Yellow Euchlaena

[Phaeoura quernaria](#) Oak Beauty

[Heliomata cycladata](#) Common Spring Moth

[Speranza pustularia](#) Lesser Maple Spanworm Moth

[Protoarmia porcelaria](#) Porcelain Gray

[Prochoerodes lineola](#) Large Maple Spanworm Moth

[Digrammia gnophosaria](#) Hollow-spotted Angle

# Butterflies and Moths of North America



[\*Ilexia intractata\*](#)

[\*Nemoria bistrisaria\*](#) Red-fringed Emerald

[\*Disclisiprocta stellata\*](#) Sombre Carpet

[\*Costaconvexa centrostrigaria\*](#) The Bent-line Carpet

[\*Eupithecia sp.\*](#) Unkown Eupithecia species

[\*Orthonama obstipata\*](#) The Gem

[\*Cyclophora packardj\*](#) Packard's Wave

[\*Cyclophora pendulinaria\*](#) Sweetfern Geometer

[\*Pleuroprucha insulsaria\*](#) Common Tan Wave

[\*Idaea dimidiata\*](#) Single-dotted Wave

[\*Scopula limboundata\*](#) Large Lace-border

[\*Calladapteryx dryopterata\*](#) Brown Scoopwing

[\*Lacosoma chiridota\*](#) Scalloped Sack-bearer

[\*Malacosoma americanum\*](#) Eastern Tent Caterpillar Moth

www.butterfliesandmoths.org