

# Butterflies and Moths of North America



www.butterfliesandmoths.org

[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Urbanus proteus\*](#) Long-tailed Skipper  
[\*Urbanus dorantes\*](#) Dorantes Longtail  
[\*Achalarus lyciades\*](#) Hoary Edge  
[\*Thorybes pylades\*](#) Northern Cloudywing  
[\*Thorybes bathyllus\*](#) Southern Cloudywing  
[\*Thorybes confusis\*](#) Confused Cloudywing  
[\*Staphylus hayhurstii\*](#) Hayhurst's Scallopwing  
[\*Erynnis brizo\*](#) Sleepy Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Erynnis horatius\*](#) Horace's Duskywing  
[\*Erynnis martialis\*](#) Mottled Duskywing  
[\*Erynnis zarucco\*](#) Zarucco Duskywing  
[\*Erynnis baptisiae\*](#) Wild Indigo Duskywing  
[\*Pyrgus centaureae\*](#) Grizzled Skipper  
[\*Pyrgus communis\*](#) Common Checkered-Skipper  
[\*Pholisora catullus\*](#) Common Sootywing  
[\*Nastra lherminier\*](#) Swarthy Skipper  
[\*Lerema accius\*](#) Clouded Skipper  
[\*Ancyloxypha numitor\*](#) Least Skipper  
[\*Copaeodes minima\*](#) Southern Skipperling  
[\*Hylephila phyleus\*](#) Fiery Skipper  
[\*Hesperia leonardus\*](#) Leonard's Skipper  
[\*Hesperia metea\*](#) Cobweb Skipper  
[\*Atalopedes campestris\*](#) Sachem  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Polites themistocles\*](#) Tawny-edged Skipper  
[\*Polites origenes\*](#) Crossline Skipper  
[\*Polites vibex\*](#) Whirlabout  
[\*Wallengrenia egeremet\*](#) Northern Broken-Dash  
[\*Wallengrenia otho\*](#) Southern Broken-Dash  
[\*Pompeius verna\*](#) Little Glassywing  
[\*Anatrytone logan\*](#) Delaware Skipper  
[\*Poanes zabulon\*](#) Zabulon Skipper  
[\*Poanes viator\*](#) Broad-winged Skipper  
[\*Poanes yehl\*](#) Yehl Skipper  
[\*Euphyes dion\*](#) Dion Skipper  
[\*Euphyes vestris\*](#) Dun Skipper  
[\*Atrytonopsis hianna\*](#) Dusted Skipper  
[\*Amblyscirtes hegon\*](#) Pepper and Salt Skipper  
[\*Amblyscirtes carolina\*](#) Carolina Roadside-Skipper  
[\*Amblyscirtes aesculapius\*](#) Lace-winged Roadside-Skipper  
[\*Amblyscirtes vialis\*](#) Common Roadside-Skipper  
[\*Lerodea eufala\*](#) Eufala Skipper  
[\*Calpodus ethlius\*](#) Brazilian Skipper  
[\*Panoquina ocola\*](#) Ocola Skipper  
[\*Battus philenor\*](#) Pipevine Swallowtail

# Butterflies and Moths of North America



[\*Eurytides marsellus\*](#) Zebra Swallowtail

[\*Papilio polyxenes\*](#) Black Swallowtail

[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail

[\*Papilio troilus\*](#) Spicebush Swallowtail

[\*Papilio palamedes\*](#) Palamedes Swallowtail

[\*Papilio cresphontes\*](#) Giant Swallowtail

[\*Anthocharis midea\*](#) Falcate Orangetip

[\*Pieris rapae\*](#) Cabbage White

[\*Pontia protodice\*](#) Checkered White

[\*Colias philodice\*](#) Clouded Sulphur

[\*Colias eurytheme\*](#) Orange Sulphur

[\*Phoebis sennae\*](#) Cloudless Sulphur

[\*Eurema daira\*](#) Barred Yellow

[\*Pyrisitia lisa\*](#) Little Yellow

[\*Abaeis nicippe\*](#) Sleepy Orange

[\*Feniseca tarquinius\*](#) Harvester

[\*Atlides halesus\*](#) Great Purple Hairstreak

[\*Callophrys gryneus\*](#) Juniper Hairstreak

[\*Callophrys augustinus\*](#) Brown Elfin

[\*Callophrys henrici\*](#) Henry's Elfin

[\*Callophrys niphon\*](#) Eastern Pine Elfin

[\*Satyrium favonius\*](#) Oak Hairstreak

[\*Satyrium titus\*](#) Coral Hairstreak

[\*Satyrium calanus\*](#) Banded Hairstreak

[\*Satyrium liparops\*](#) Striped Hairstreak

[\*Calycopis cecrops\*](#) Red-banded Hairstreak

[\*Strymon melinus\*](#) Gray Hairstreak

[\*Parrhasius m album\*](#) White-M Hairstreak

[\*Cupido comyntas\*](#) Eastern Tailed-Blue

[\*Celastrina ladon\*](#) Spring Azure

[\*Celastrina neglecta\*](#) Summer Azure

[\*Libytheana carinenta\*](#) American Snout

[\*Danaus plexippus\*](#) Monarch

[\*Danaus gilippus\*](#) Queen

[\*Agraulis vanillae\*](#) Gulf Fritillary

[\*Heliconius charithonia\*](#) Zebra Heliconian

[\*Euptoieta claudia\*](#) Variegated Fritillary

[\*Speyeria diana\*](#) Diana Fritillary

[\*Speyeria cybele\*](#) Great Spangled Fritillary

[\*Limenitis arthemis\*](#) Red-spotted Purple or White Admiral

[\*Limenitis arthemis astyanax\*](#) 'Astyanax' Red-spotted Purple

[\*Limenitis archippus\*](#) Viceroy

[\*Asterocampa celtis\*](#) Hackberry Emperor

[\*Asterocampa clyton\*](#) Tawny Emperor

[\*Chlosyne nycteis\*](#) Silvery Checkerspot

[\*Phyciodes tharos\*](#) Pearl Crescent

[\*Junonia coenia\*](#) Common Buckeye

[\*Polygonia interrogationis\*](#) Question Mark

[\*Polygonia comma\*](#) Eastern Comma

[\*Aglais milberti\*](#) Milbert's Tortoiseshell

[\*Nymphalis antiopa\*](#) Mourning Cloak

[\*Vanessa atalanta\*](#) Red Admiral

[\*Vanessa cardui\*](#) Painted Lady

[\*Vanessa virginiensis\*](#) American Lady

[\*Enodia portlandia\*](#) Southern Pearly-eye

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[Enodia anthedon](#) Northern Pearly-eye  
[Enodia creola](#) Creole Pearly-eye  
[Satyrodes appalachia](#) Appalachian Brown  
[Cyllopsis gemma](#) Gemmed Satyr  
[Megisto cymela](#) Little Wood-Satyr  
[Hermeuptychia sosybius](#) Carolina Satyr  
[Cercyonis pegala](#) Common Wood-Nymph  
[Pseudothyatira cymatophoroides](#) Tufted Thyatirid

[www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[Automeris io](#) Io moth  
[Hemileuca maia](#) Eastern buckmoth  
[Actias luna](#) Luna moth  
[Antheraea polyphemus](#) Polyphemus moth  
[Callosamia angulifera](#) Tuliptree silkmoth  
[Callosamia securifera](#) Sweetbay silkmoth  
[Callosamia promethea](#) Promethea silkmoth  
[Hyalophora cecropia](#) Cecropia silkmoth  
[Citheronia sepulcralis](#) Pine-devil Moth  
[Anisota virginiensis](#) Pink-striped oakworm moth  
[Dryocampa rubicunda](#) Rosy maple moth  
[Sphingicampa bicolor](#) Bicolored honey locust moth  
[Eacles imperialis](#) Imperial moth  
[Anisota senatoria](#) Orange-tipped oakworm moth  
[Citheronia regalis](#) Royal Walnut Moth  
[Anisota stigma](#) Spiny oakworm moth  
[Lintneria eremitus](#) Hermit sphinx  
[Manduca rustica](#) Rustic sphinx  
[Paonias astylus](#) Huckleberry sphinx  
[Sphinx kalmiae](#) Laurel sphinx  
[Paonias excaecata](#) Blinded sphinx  
[Paonias myops](#) Small-eyed sphinx  
[Paratrea plebeja](#) Plebeian sphinx  
[Amorpha juglandis](#) Walnut sphinx  
[Dolba hyloeus](#) Pawpaw sphinx  
[Agrius cingulata](#) Pink-spotted hawkmoth  
[Smerinthus jamaicensis](#) Twin-spotted sphinx  
[Lapara coniferarum](#) Southern pine sphinx  
[Ceratomia amyntor](#) Elm sphinx  
[Sphinx chersis](#) Great ash sphinx  
[Manduca jaminearum](#) Ash sphinx  
[Ceratomia undulosa](#) Waved sphinx  
[Sphinx drupiferarum](#) Wild cherry sphinx  
[Manduca quinquemaculata](#) Five-spotted hawkmoth  
[Manduca sexta](#) Carolina sphinx  
[Eumorpha fasciatus](#) Banded sphinx  
[Eumorpha pandorus](#) Pandorus Sphinx  
[Darapsa choerilus \(pholus\)](#) Azalea Sphinx  
[Hemaris thysbe](#) Hummingbird Clearwing  
[Darapsa versicolor](#) Hydrangea sphinx  
[Hyles lineata](#) White-lined Sphinx  
[Deidamia inscriptum](#) Lettered sphinx  
[Amphion floridensis](#) Nessus sphinx  
[Xylophanes tersa](#) Tersi Sphinx  
[Hemaris diffinis](#) Snowberry Clearwing  
[Eumorpha achemon](#) Achemon sphinx  
[Nadata gibbosa](#) White-dotted Prominent



# Butterflies and Moths of North America



- [Macrurocampa marthesia](#) Mottled Prominent  
[Dasylophia anguina](#) Black-Spotted Prominent  
[Datana major](#) Major Datana  
[Heterocampa guttivitta](#) Saddled Prominent  
[Heterocampa biundata](#) Wavy-lined Heterocampa  
[Peridea angulosa](#) Angulose Prominent  
[Clostera inclusa](#) Angle-Lined Prominent  
[Lochmaeus bilineata](#) Double-lined Prominent  
[Datana contracta](#) Contracted Datana  
[Heterocampa obliqua](#) Oblique Heterocampa  
[Schizura ipomoeae](#) Morning-glory Prominent  
[Lochmaeus manteo](#) Variable Oakleaf Caterpillar Moth  
[Datana ministra](#) Yellow-necked Caterpillar Moth  
[Datana perspicua](#) Spotted Datana  
[Marimatha nigrofimbria](#) Black-bordered Lemon Moth  
[Cerma cerintha](#) Tufted Bird-Dropping Moth  
[Acrionicta hasta](#) Speared Dagger Moth  
[Polygrammate hebraeicum](#) The Hebrew  
[Acrionicta americana](#) American Dagger Moth  
[Galgula partita](#) The Wedgling  
[Phosphila miselioides](#) Spotted Phosphila  
[Apamea sordens finitima](#) Bordered Apamea  
[Spodoptera ornithogalli](#) Yellow-striped Armyworm Moth  
[Callopietria floridensis](#) Florida Fern Moth  
[Amphipyra pyramidoides](#) Copper Underwing  
[Panthea furcilla](#) Eastern Panthea  
[Chrysodeixis includens](#) Soybean Looper Moth  
[Enigmogramma basigera](#) Pink-washed Looper Moth  
[Autographa precationis](#) The Common Looper Moth  
[Trichoplusia ni](#) Cabbage Looper Moth  
[Orthodes majuscula](#) Rustic Quaker  
[Leucania adjuta](#)  
[Elaphria grata](#) Grateful Midget  
[Anicla infecta](#) Green Cutworm Moth  
[Noctua pronuba](#) European Yellow Underwing  
[Helicoverpa zea](#) Corn Earworm Moth  
[Heliiothis virescens](#) Tobacco Budworm Moth  
[Eudryas grata](#) Beautiful Wood-nymph  
[Alypia octomaculata](#) Eight-spotted Forester  
[Estigmene acrea](#) Salt Marsh Moth or Acrea Moth  
[Cisthene tenuifascia](#) Thin-Banded Lichen Moth  
[Haploa clymene](#) Clymene Moth  
[Hypercompe scribonia](#) Great Leopard Moth  
[Halysidota tessellaris](#) Banded Tussock Moth or Pale Tiger Moth  
[Grammia arge](#) Arge Tiger Moth  
[Pyrrharctia isabella](#) Isabella Tiger Moth or Banded Woollybear  
[Halysidota harrisii](#) Sycamore Tussock Moth  
[Grammia phyllira](#) Phyllira Tiger Moth  
[Cycnia tenera](#) Delicate Cycnia or Dogbane Tiger Moth  
[Spilosoma virginica](#) Virginian Tiger Moth or Yellow Woollybear Moth  
[Halysidota sp.](#)  
[Apantesis phalerata](#) Harnessed Moth  
[Hyphantria cunea](#) Fall Webworm Moth  
[Crambidia uniformis](#) Uniform Lichen Moth  
[Idia americalis](#) American Idia Moth

# Butterflies and Moths of North America



[\*Idia aemula\*](#) Common Idia Moth

[\*Palthis angulalis\*](#) Dark-spotted Palthis Moth

[\*Renia adspersgillus\*](#) Speckled Renia Moth

[\*Zanclognatha cruralis-obscuroennis\*](#) Early Zanclognatha Moth/Dark Zanclognatha Moth

[\*Hypena manalis\*](#) Flowing-line Bomolocha Moth

[\*Hypena scabra\*](#) Green Cloverworm Moth

[\*Zale lunata\*](#) Lunate Zale

[\*Caenurgia chloropha\*](#) Vetch Looper Moth

[\*Catocala ilia\*](#) Ilia Underwing

[\*Panopoda rufimargo\*](#) Red-lined Panopoda

[\*Zale metatoides\*](#) Washed-out Zale

[\*Parallelia bistriaris\*](#) Maple Looper Moth

[\*Zale obliqua\*](#) Oblique Zale

[\*Celiptera frustulum\*](#) Black Bit Moth

[\*Rivula propinqualis\*](#) Spotted Grass Moth

[\*Orgyia leucostigma\*](#) White-marked Tussock Moth

[\*Dinumma deponens\*](#)

[\*Paectes abrostoloides\*](#) Large Paectes

[\*Promalactis suzukiella\*](#) Suzuki's Promalactis Moth

[\*Mea bipunctella\*](#) Two-spotted Mea Moth

[\*Monopis pavlovskii\*](#)

[\*Thyridopteryx ephemeraeformis\*](#) Evergreen Bagworm Moth

[\*Antaeotricha schlaegeri\*](#)

[\*Stegasta bosqueella\*](#)

[\*Plutella xylostella\*](#) Diamondback Moth

[\*Atteva aurea\*](#) Ailanthus Webworm Moth

[\*Synanthedon scitula\*](#)

[\*Synanthedon arkansasensis\*](#) Arkansas Clearwing

[\*Hulda impudens\*](#)

[\*Proteoteras aesculana\*](#)

[\*Argyrotaenia velutinana\*](#) Red Banded Leafroller Moth

[\*Coelostathma discopunctana\*](#) The Batman Moth

[\*Choristoneura rosaceana\*](#) Oblique-banded Leafroller Moth

[\*Megalopyge opercularis\*](#) Southern Flannel Moth

[\*Apoda biguttata\*](#) Shagreened Slug Moth

[\*Apoda y inversum\*](#) Yellow-collared Slug Moth

[\*Tortricidia flexuosa\*](#)

[\*Phobetron pithecium\*](#) Hag Moth

[\*Parasa chloris\*](#) Smaller Parasa

[\*Adoneta spinuloides\*](#) Purple-crested Slug Moth

[\*Parapediasia teterrella\*](#) Bluegrass Webworm Moth

[\*Crambus leachellus\*](#)

[\*Fissicrambus mutabilis\*](#) Changeable Grass-veneer

[\*Diacme elealis\*](#)

[\*Samea baccatalis\*](#)

[\*Spoladea recurvalis\*](#) Hawaiian Beet Webworm

[\*Pyrausta rubricalis\*](#)

[\*Diaphania nitidalis\*](#) Pickleworm Moth

[\*Neohelviobotys neohelvialis\*](#)

[\*Pyrausta bicoloralis\*](#)

[\*Herpetogramma pertextalis\*](#)

[\*Desmia funeralis/maculalis\*](#)

[\*Pyrausta acronalis\*](#)

[\*Palpita kimballi\*](#) Kimball's Palpita Moth

# Butterflies and Moths of North America



[\*Glyphodes pyloalis\*](#) Beautiful Glyphodes

[\*Tosale oviplagalis\*](#)

[\*Hypsopygia olinalis\*](#)

[\*Thyris maculata\*](#) Spotted Thyris

[\*Hellinsia inquinatus\*](#)

[\*Emmelina monodactyla\*](#) [www.butterfliesandmoths.org](http://www.butterfliesandmoths.org) Morning-glory Plume Moth

[\*Iridopsis defectaria\*](#) Brown-shaded Gray

[\*Macaria aemulataria\*](#) Common Angle

[\*Protoboarmia porcelaria\*](#) Porcelain Gray

[\*Euchlaena obtusaria\*](#) Obtuse Euchlaena

[\*Melanolophia canadaria\*](#) Canadian melanolophia

[\*Ilexia intractata\*](#)

[\*Prochoerodes lineola\*](#) Large Maple Spanworm Moth

[\*Epimecis hortaria\*](#) Tulip-Tree Beauty

[\*Iridopsis humaria\*](#) Small Purplish Gray

[\*Pero morrisonaria\*](#) Morrison's Pero

[\*Lambdina pellucidaria\*](#) Yellow-headed Looper

[\*Iridopsis vellivolata\*](#) Large Purplish Gray

[\*Macaria distribuaria\*](#) Southern Chocolate Angle

[\*Besma quercivoraria\*](#) Oak Besma

[\*Euchlaena amoenaria\*](#) Deep Yellow Euchlaena

[\*Eutrapela clemataria\*](#) Curved-Toothed Geometer

[\*Melanolophia signataria\*](#) Signate Melanolophia

[\*Nemoria lixaria\*](#) Red-bordered Emerald

[\*Nemoria bistriaria\*](#) Red-fringed Emerald

[\*Synchlora aerata\*](#) Wavy-Lined Emerald

[\*Eulithis diversilineata\*](#) Lesser Grapevine Looper Moth

[\*Horisme intestinata\*](#) Brown Bark Carpet

[\*Cyclophora packardi\*](#) Packard's Wave

[\*Idaea demissaria\*](#) Red-Bordered Wave

[\*Scopula limboundata\*](#) Large Lace-border

[\*Olceclostera angelica\*](#) The Angel Moth

[\*Malacosoma disstria\*](#) Forest Tent Caterpillar Moth

[\*Malacosoma americanum\*](#) Eastern Tent Caterpillar Moth