

# Butterflies and Moths of North America



[www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Thorybes pylades\*](#) Northern Cloudywing  
[\*Erynnis icelus\*](#) Dreamy Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Carterocephalus palaemon\*](#) Arctic Skipper  
[\*Ancyloxypha numitor\*](#) Least Skipper  
[\*Thymelicus lineola\*](#) European Skipper  
[\*Hesperia leonardus\*](#) Leonard's Skipper  
[\*Hesperia sassacus\*](#) Indian Skipper  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Polites themistocles\*](#) Tawny-edged Skipper  
[\*Polites origenes\*](#) Crossline Skipper  
[\*Polites mystic\*](#) Long Dash  
[\*Wallengrenia egeremet\*](#) Northern Broken-Dash  
[\*Pompeius verna\*](#) Little Glassywing  
[\*Anatrytone logan\*](#) Delaware Skipper  
[\*Poanes hobomok\*](#) Hobomok Skipper  
[\*Euphyes vestris\*](#) Dun Skipper  
[\*Amblyscirtes hegon\*](#) Pepper and Salt Skipper  
[\*Amblyscirtes vialis\*](#) Common Roadside-Skipper  
[\*Papilio polyxenes\*](#) Black Swallowtail  
[\*Papilio canadensis\*](#) Canadian Tiger Swallowtail  
[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail  
[\*Papilio canadensis X glaucus\*](#)  
[\*Papilio troilus\*](#) Spicebush Swallowtail  
[\*Papilio cressphontes\*](#) Giant Swallowtail  
[\*Pieris oleracea\*](#) Mustard White  
[\*Pieris rapae\*](#) Cabbage White  
[\*Colias philodice\*](#) Clouded Sulphur  
[\*Colias eurytheme\*](#) Orange Sulphur  
[\*Colias eurytheme X philodice\*](#)  
[\*Colias interior\*](#) Pink-edged Sulphur  
[\*Feniseca tarquinius\*](#) Harvester  
[\*Lycaena phlaeas\*](#) American Copper  
[\*Lycaena hyllus\*](#) Bronze Copper  
[\*Callophrys niphon\*](#) Eastern Pine Elfin  
[\*Satyrium titus\*](#) Coral Hairstreak  
[\*Satyrium acadica\*](#) Acadian Hairstreak  
[\*Satyrium caryaevorus\*](#) Hickory Hairstreak  
[\*Satyrium calanus\*](#) Banded Hairstreak  
[\*Satyrium liparops\*](#) Striped Hairstreak  
[\*Strymon melinus\*](#) Gray Hairstreak  
[\*Erora laeta\*](#) Early Hairstreak  
[\*Cupido comyntas\*](#) Eastern Tailed-Blue  
[\*Celastrina lucia\*](#) Northern Azure  
[\*Celastrina neglecta\*](#) Summer Azure  
[\*Celastrina serotina\*](#) Cherry Gall Azure

# Butterflies and Moths of North America



- [\*Glaucopsyche lygdamus\*](#) Silvery Blue  
[\*Lhytheana carmentis\*](#) American Snout  
[\*Danaus plexippus\*](#) Monarch  
[\*Euptoieta claudia\*](#) Variegated Fritillary  
[\*Speyeria cybele\*](#) Great Spangled Fritillary  
[\*Speyeria aphrodite\*](#) Aphrodite Fritillary  
[\*Speyeria atlantis\*](#) Atlantis Fritillary  
[\*Boloria selene\*](#) Silver-bordered Fritillary  
[\*Boloria bellona\*](#) Meadow Fritillary  
[\*Limenitis arthemis\*](#) Red-spotted Purple or White Admiral  
[\*Limenitis arthemis arthemis\*](#) White Admiral  
[\*Limenitis arthemis astyanax\*](#) 'Astyanax' Red-spotted Purple  
[\*Limenitis archippus\*](#) Viceroy  
[\*Asterocampa celtis\*](#) Hackberry Emperor  
[\*Asterocampa clyton\*](#) Tawny Emperor  
[\*Chlosyne nycteis\*](#) Silvery Checkerspot  
[\*Chlosyne harrisii\*](#) Harris' Checkerspot  
[\*Phyciodes tharos\*](#) Pearl Crescent  
[\*Phyciodes cocyta\*](#) Northern Crescent  
[\*Euphydryas phaeton\*](#) Baltimore Checkerspot  
[\*Junonia coenia\*](#) Common Buckeye  
[\*Polygonia interrogationis\*](#) Question Mark  
[\*Polygonia comma\*](#) Eastern Comma  
[\*Polygonia faunus\*](#) Green Comma  
[\*Polygonia progne\*](#) Gray Comma  
[\*Aglais milberti\*](#) Milbert's Tortoiseshell  
[\*Nymphalis vaualbum\*](#) Compton Tortoiseshell  
[\*Nymphalis antiopa\*](#) Mourning Cloak  
[\*Vanessa atalanta\*](#) Red Admiral  
[\*Vanessa cardui\*](#) Painted Lady  
[\*Vanessa virginiensis\*](#) American Lady  
[\*Enodia anthedon\*](#) Northern Pearly-eye  
[\*Satyroides eurydice\*](#) Eyed Brown  
[\*Coenonympha tullia\*](#) Common Ringlet  
[\*Megisto cymela\*](#) Little Wood-Satyr  
[\*Cercyonis pegala\*](#) Common Wood-Nymph  
[\*Pseudothyatira cymatophoroides\*](#) Tufted Thyatirid  
[\*Drepana arcuata\*](#) Arched Hooktip  
[\*Drepana bilineata\*](#) Two-lined Hooktip  
[\*Eudeilinia herminiata\*](#) Northern Eudeilinia  
[\*Callosamia promethea\*](#) Prometheus silkmoth  
[\*Antheraea polyphemus\*](#) Polyphemus moth  
[\*Hyalophora cecropia\*](#) Cecropia silkmoth  
[\*Actias luna\*](#) Luna moth  
[\*Dryocampa rubicunda\*](#) Rosy maple moth  
[\*Sphinx chersis\*](#) Great ash sphinx  
[\*Paonias excaecata\*](#) Blinded sphinx  
[\*Pachysphinx modesta\*](#) Modest sphinx  
[\*Lapara bombycoides\*](#) Northern pine sphinx  
[\*Ceratomia amyntor\*](#) Elm sphinx  
[\*Manduca quinquemaculata\*](#) Five-spotted hawkmoth  
[\*Ceratomia undulosa\*](#) Waved sphinx  
[\*Manduca sexta\*](#) Carolina sphinx  
[\*Smerinthus jamaicensis\*](#) Twin-spotted sphinx  
[\*Lintneria eremitus\*](#) Hermit sphinx

# Butterflies and Moths of North America



[\*Sphinx kalmias\*](#) Laurel sphinx

[\*Amorpha juglandis\*](#) Walnut sphinx

[\*Amphion floridensis\*](#) Nessus sphinx

[\*Hemaris thysbe\*](#) Hummingbird Clearwing

[\*Darapsa myron\*](#) Virginia creeper sphinx

[\*Eumorpha pandorus\*](#) Pandorus Sphinx

[\*Hemaris diffinis\*](#) Snowberry Clearwing

[\*Hyles gallii\*](#) Bedstraw hawkmoth

[\*Symmerista canicosta\*](#)

[\*Datana ministra\*](#) Yellow-necked Caterpillar Moth

[\*Schizura apicalis\*](#) Plain Schizura

[\*Clostera albosigma\*](#) Sigmoid Prominent

[\*Schizura unicornis\*](#) Unicorn Caterpillar Moth

[\*Furcula cinerea\*](#) Gray Furcula

[\*Schizura concinna\*](#) Red-humped Caterpillar Moth

[\*Leuconycta diptheroides\*](#) Green Leuconycta

[\*Acronicta dactylina\*](#) Fingered Dagger Moth

[\*Cerma cerintha\*](#) Tufted Bird-Dropping Moth

[\*Ponometia erastrioides\*](#) Small Bird-dropping Moth

[\*Simyra insularis\*](#) Henry's Marsh Moth

[\*Acronicta morula\*](#) Ochre Dagger Moth

[\*Acronicta americana\*](#) American Dagger Moth

[\*Spodoptera ornithogalli\*](#) Yellow-striped Armyworm Moth

[\*Hyppa xylinoides\*](#) Common Hyppa

[\*Papaipema inquaesita\*](#) Sensitive Fern Borer Moth

[\*Anathix ralla\*](#) Dotted Sallow

[\*Papaipema pterisii\*](#) Bracken Borer Moth

[\*Galgula partita\*](#) The Wedgling

[\*Papaipema cataphracta\*](#) Burdock Borer Moth

[\*Amphipyra pyramidoides\*](#) Copper Underwing

[\*Cucullia convexipennis\*](#) Brown-hooded Owlet

[\*Sunira bicolorago\*](#) Bicolored Sallow

[\*Eupsilia morrisoni\*](#) Morrison's Sallow

[\*Pseudeustrotia carneola\*](#) Pink-barred Pseudeustrotia

[\*Allagrapha aerea\*](#) Unspotted Looper Moth

[\*Autographa precationis\*](#) The Common Looper Moth

[\*Trichoplusia ni\*](#) Cabbage Looper Moth

[\*Chrysodeixis includens\*](#) Soybean Looper Moth

[\*Diachrysia balluca\*](#) Hologram Moth

[\*Morrisonia evicta\*](#) Bicolored Woodgrain

[\*Mythimna unipuncta\*](#) Armyworm Moth

[\*Lacinipolia olivacea\*](#) Olive Arches

[\*Lacinipolia lorea\*](#) Bridled Arches

[\*Trichordestra legitima\*](#) Striped Garden Caterpillar

[\*Lacinipolia renigera\*](#) Bristly Cutworm Moth

[\*Melanchra adjuncta\*](#) Hitched Arches

[\*Noctua pronuba\*](#) European Yellow Underwing

[\*Xestia dolosa\*](#) Greater Black-letter Dart

[\*Homoglaea hircina\*](#) Goat Sallow

[\*Agrotis ipsilon\*](#) Ipsilon Dart

[\*Lateroligia ophiogramma\*](#)

[\*Helicoverpa zea\*](#) Corn Earworm Moth

[\*Schinia florida\*](#) Primrose Moth

[\*Alypia octomaculata\*](#) Eight-spotted Forester

[\*Eudryas grata\*](#) Beautiful Wood-nymph

www.butterfliesandmoths.org



# Butterflies and Moths of North America



- [\*Hypoprepia fuscosa\*](#) Painted Lichen Moth  
[\*Lycomorpha pholus\*](#) Black and yellow Lichen Moth  
[\*Halysidota tessellaris\*](#) Banded Tussock Moth or Pale Tiger Moth  
[\*Arctia caja\*](#) Garden Tiger Moth or Great Tiger Moth  
[\*Ctenucha virginica\*](#) Virginia Ctenucha  
[\*Euchaetes egle\*](#) Milkweed Tussock Moth or Milkweed Tiger Moth  
[\*Haploa confusa\*](#) Confused Haploa  
[\*Lophocampa caryae\*](#) Hickory Tussock Moth or Hickory Tiger Moth  
[\*Pyrrharctia isabella\*](#) Isabella Tiger Moth or Banded Woollybear  
[\*Hyphantria cunea\*](#) Fall Webworm Moth  
[\*Spilosoma virginica\*](#) Virginian Tiger Moth or Yellow Woollybear Moth  
[\*Haploa clymene\*](#) Clymene Moth  
[\*Cisseps fulvicollis\*](#) Yellow-collared Scape Moth  
[\*Haploa lecontei\*](#) Leconte's Haploa  
[\*Palthis angulalis\*](#) Dark-spotted Palthis Moth  
[\*Lascoria ambigualis\*](#) Ambiguous Moth  
[\*Idia aemula\*](#) Common Idia Moth  
[\*Renia flavipunctalis\*](#) Yellow-spotted Renia Moth  
[\*Idia lubricalis\*](#) Glossy Black Idia Moth  
[\*Idia laurentii\*](#)  
[\*Macrochilo litophora\*](#) Brown-lined Owlet Moth  
[\*Idia americalis\*](#) American Idia Moth  
[\*Phalaenophana pyramusalis\*](#) Dark-banded Owlet Moth  
[\*Hypena edictalis\*](#) Large Bomolocha  
[\*Hypena deceptalis\*](#) Deceptive Bomolocha Moth  
[\*Hypena scabra\*](#) Green Cloverworm Moth  
[\*Hypena atomaria\*](#)  
[\*Zale lunata\*](#) Lunate Zale  
[\*Catocala amatrix\*](#) Sweetheart Underwing  
[\*Scoliopteryx libatrix\*](#) The Herald  
[\*Zale minerea\*](#) Colorful Zale  
[\*Catocala ultronia\*](#) Ultronia Underwing  
[\*Caenurgina crassiuscula\*](#) Clover Looper Moth  
[\*Catocala mira\*](#) Wonderful Underwing  
[\*Catocala crataegi\*](#) Hawthorn Underwing  
[\*Catocala relictata\*](#) White Underwing  
[\*Calyptra canadensis\*](#) Canadian Owlet  
[\*Orgyia leucostigma\*](#) White-marked Tussock Moth  
[\*Lymantria dispar\*](#) Gypsy Moth  
[\*Orgyia definita\*](#) Definite Tussock Moth  
[\*Psyche casta\*](#) Common Bagworm Moth  
[\*Ethmia zelleriella\*](#)  
[\*Dichomeris flavocostella\*](#) Cream-bordered Dichomeris Moth  
[\*Choreutis pariana\*](#) Apple Leaf Skeletonizer  
[\*Eucosma dorsisignatana\*](#) Triangle-backed Eucosma  
[\*Olethreutes bipartitana\*](#)  
[\*Choristoneura rosaceana\*](#) Oblique-banded Leafroller Moth  
[\*Sparganothis sulfureana\*](#) Sparganothis Fruitworm Moth  
[\*Acleris celiana\*](#)  
[\*Archips purpurana\*](#)  
[\*Cnephasia stephensiana\*](#) Gray Tortrix  
[\*Acleris subnivana\*](#)  
[\*Euclea delphinii\*](#) Spiny Oak-slug Moth  
[\*Lithacodes fasciola\*](#) Yellow-shouldered Slug Moth  
[\*Chalcoela iphitalis\*](#) Sooty Winged Chalcoela Moth

# Butterflies and Moths of North America



[Pyrausta bicoloralis](#)

[Herpetogramma pertextalis](#)

[Lygropia rivulalis](#)

[Pyrausta orphisalis](#) Orange Mint Moth

[Pyrausta acronialis](#)

[Anania funebris](#) White Spotted Sable Moth

[Fumibotys fumalis](#)

[Udea rubigalis](#) Celery Leaf-tier Moth

[Desmia funeralis/maculalis](#)

[Eurrhypara hortulata](#) Small Magpie

[Desmia funeralis](#) Grape Leaf-folding Moth

[Nomophila nearctica](#) Lucerne Moth

[Diacme adipaloides](#)

[Pantographa limata](#) Linden-Leafroller Moth

[Galasa nigrinodis](#)

[Pyralis farinalis](#) Meal Moth

[Tetracis crocallata](#) Yellow Slant-line

[Macaria aemulataria](#) Common Angle

[Euchlaena serrata](#) The Saw Wing

[Macaria pinistrobata](#)

[Speranza pustularia](#) Lesser Maple Spanworm Moth

[Campaea perlata](#) Pale Beauty

[Besma quercivoraria](#) Oak Besma

[Nematocampa limbata](#) Filament Bearer

[Heliomata cycladata](#) Common Spring Moth

[Metanema inatomaria](#) Pale Metanema

[Eugonobapta nivosaria](#) Snowy Geometer

[Ennomos magnaria](#) Maple Spanworm

[Caripeta divisata](#) Gray Spruce Looper

[Eutrappela clemataria](#) Curved-Toothed Geometer

[Cabera erythemaria](#) Yellow-dusted Cream Moth

[Macaria bisignata](#) Red-headed inchworm

[Eusarca confusaria](#) Confused Eusarca

[Plagodis phlogosaria](#) Straight-lined Plagodis

[Macaria fissinotata](#) Hemlock Angle

[Caripeta piniata](#) Northern Pine Looper Moth

[Anavitrinella pampinaria](#) Common Gray

[Xanthotype sospeta](#) Crocus Geometer

[Euchlaena tigrinaria](#) Mottled Euchlaena

[Lambdina fiscellaria](#) Hemlock Looper

[Iridopsis larvaria](#) Bent-Lined Gray

[Nepytia canosaria](#) False Hemlock Looper Moth

[Chlorochlamys chloroleucaria](#) Blackberry Looper Moth

[Hethemia pistasciaria](#) Pistachio Emerald

[Heterophleps triguttaria](#) Three-spotted Fillip

[Eulithis diversilineata](#) Lesser Grapevine Looper Moth

[Dysstroma citrata](#) Dark Marbled Carpet

[Hydrelia condensata](#)

[Xanthorhoe labradorensis](#) Labrador Carpet Moth

[Euphyia intermediata](#) Sharp-angled Carpet

[Epirrita autumnata](#) Autumnal Moth

[Eupithecia absinthiata](#)

[Xanthorhoe ferrugata](#) Red Twin-spot

[Coryphista meadii](#) Barberry Geometer

[Trichodezia albivittata](#) White-striped Black

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[\*Pasiphila rectangulata\*](#) Green Pug

[\*Coستاconvexa centrostrigaria\*](#) The Bent-line Carpet

[\*Orithonama obstipata\*](#) The Gem

[\*Operophtera bruceata\*](#) The Bruce Spanworm

[\*Rheumaptera prunivorata\*](#) Ferguson's Scallop Shell

[\*Mesoleuca ruficillata\*](#) White-ribbed Carpet Moth

[\*Horisme intestinata\*](#) Brown Bark Carpet

[\*Stamnodes gibbicostata\*](#) Shiny Gray Carpet Moth

[\*Ecliptopera silaceata\*](#) Small Phoenix

[\*Lobophora nivigerata\*](#) Powdered Bigwing

[\*Epirrhoe alternata\*](#) White-banded Toothed Carpet

[\*Dyspteris abortivaria\*](#) The Bad-wing

[\*Pleuroprucha insulsaria\*](#) Common Tan Wave

[\*Scopula limboundata\*](#) Large Lace-border

[\*Haematopis grataria\*](#) Chickweed Geometer

[\*Idaea dimidiata\*](#) Single-dotted Wave

[\*Calladapteryx dryopterata\*](#) Brown Scoopwing

[\*Malacosoma disstria\*](#) Forest Tent Caterpillar Moth

[\*Tolype laricis\*](#) The Larch Moth