

# Butterflies and Moths of North America



[www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Thorybes pylades\*](#) Northern Cloudywing  
[\*Erynnis icelus\*](#) Dreamy Duskywing  
[\*Erynnis brizo\*](#) Sleepy Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Erynnis martialis\*](#) Mottled Duskywing  
[\*Erynnis baptisiae\*](#) Wild Indigo Duskywing  
[\*Erynnis lucilius\*](#) Columbine Duskywing  
[\*Erynnis persius\*](#) Persius Duskywing  
[\*Pyrgus communis\*](#) Common Checkered-Skipper  
[\*Pholisora catullus\*](#) Common Sootywing  
[\*Carterocephalus palaemon\*](#) Arctic Skipper  
[\*Ancyloxypha numitor\*](#) Least Skipper  
[\*Hesperia leonardus\*](#) Leonard's Skipper  
[\*Hesperia metea\*](#) Cobweb Skipper  
[\*Hesperia sassacus\*](#) Indian Skipper  
[\*Atalopedes campestris\*](#) Sachem  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Polites origenes\*](#) Crossline Skipper  
[\*Polites mystic\*](#) Long Dash  
[\*Wallengrenia egeremet\*](#) Northern Broken-Dash  
[\*Poanes hobomok\*](#) Hobomok Skipper  
[\*Poanes massasoit\*](#) Mulberry Wing  
[\*Poanes viator\*](#) Broad-winged Skipper  
[\*Euphyes conspicua\*](#) Black Dash  
[\*Euphyes dion\*](#) Dion Skipper  
[\*Euphyes bimacula\*](#) Two-spotted Skipper  
[\*Euphyes vestris\*](#) Dun Skipper  
[\*Atrytonopsis hianna\*](#) Dusted Skipper  
[\*Lerodea eufala\*](#) Eufala Skipper  
[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail  
[\*Papilio cressphontes\*](#) Giant Swallowtail  
[\*Euchloe olympia\*](#) Olympia Marble  
[\*Pieris oleracea\*](#) Mustard White  
[\*Pieris rapae\*](#) Cabbage White  
[\*Colias philodice\*](#) Clouded Sulphur  
[\*Colias interior\*](#) Pink-edged Sulphur  
[\*Pyrisitia lisa\*](#) Little Yellow  
[\*Nathalis iole\*](#) Dainty Sulphur  
[\*Feniseca tarquinius\*](#) Harvester  
[\*Lycaena phlaeas\*](#) American Copper  
[\*Lycaena hyllus\*](#) Bronze Copper  
[\*Lycaena epixanthe\*](#) Bog Copper  
[\*Lycaena helloides\*](#) Purplish Copper  
[\*Callophrys gryneus\*](#) Juniper Hairstreak  
[\*Callophrys augustinus\*](#) Brown Elfin  
[\*Callophrys polios\*](#) Hoary Elfin

# Butterflies and Moths of North America



- [Callophrys irus](#) Frosted Elfin  
[Callophrys henrici](#) Henry's Elfin  
[Callophrys niphon](#) Eastern Pine Elfin  
[Satyrium titus](#) Coral Hairstreak  
[Satyrium acadica](#) Acadian Hairstreak  
[Satyrium caryaevorus](#) Hickory Hairstreak  
[Satyrium edwardsii](#) Edwards' Hairstreak  
[Satyrium calanus](#) Banded Hairstreak  
[Satyrium liparops](#) Striped Hairstreak  
[Strymon melinus](#) Gray Hairstreak  
[Cupido comyntas](#) Eastern Tailed-Blue  
[Celastrina ladon](#) Spring Azure  
[Celastrina neglecta](#) Summer Azure  
[Glaucopsyche lygdamus](#) Silvery Blue  
[Plebejus melissa](#) Melissa Blue (includes Karner Blue)  
[Danaus plexippus](#) Monarch  
[Euptoieta claudia](#) Variegated Fritillary  
[Speyeria cybele](#) Great Spangled Fritillary  
[Speyeria aphrodite](#) Aphrodite Fritillary  
[Speyeria idalia](#) Regal Fritillary  
[Boloria selene](#) Silver-bordered Fritillary  
[Boloria bellona](#) Meadow Fritillary  
[Limenitis arthemis](#) Red-spotted Purple or White Admiral  
[Limenitis arthemis arthemis](#) White Admiral  
[Limenitis arthemis astyanax](#) 'Astyanax' Red-spotted Purple  
[Limenitis archippus](#) Viceroy  
[Asterocampa celtis](#) Hackberry Emperor  
[Asterocampa clyton](#) Tawny Emperor  
[Chlosyne nycteis](#) Silvery Checkerspot  
[Chlosyne gorgone](#) Gorgone Checkerspot  
[Chlosyne harrisii](#) Harris' Checkerspot  
[Phyciodes tharos](#) Pearl Crescent  
[Phyciodes cocyta](#) Northern Crescent  
[Phyciodes batesii](#) Tawny Crescent  
[Euphydryas phaeton](#) Baltimore Checkerspot  
[Junonia coenia](#) Common Buckeye  
[Polygonia comma](#) Eastern Comma  
[Polygonia progne](#) Gray Comma  
[Aglais milberti](#) Milbert's Tortoiseshell  
[Nymphalis vaualbum](#) Compton Tortoiseshell  
[Nymphalis antiopa](#) Mourning Cloak  
[Vanessa atalanta](#) Red Admiral  
[Vanessa cardui](#) Painted Lady  
[Vanessa virginiensis](#) American Lady  
[Enodia anthedon](#) Northern Pearly-eye  
[Satyrodes eurydice](#) Eyed Brown  
[Satyrodes appalachia](#) Appalachian Brown  
[Coenonympha tullia](#) Common Ringlet  
[Megisto cymela](#) Little Wood-Satyr  
[Oeneis jutta](#) Jutta Arctic  
[Cercyonis pegala](#) Common Wood-Nymph  
[Drepana arcuata](#) Arched Hooktip  
[Hemileuca maia](#) Eastern buckmoth  
[Antheraea polyphemus](#) Polyphemus moth  
[Callosamia promethea](#) Promethea silkmoth

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[\*Paonias excasata\*](#) Blinded sphinx

[\*Sphinx kalmias\*](#) Laurel sphinx

[\*Lapara bombycoides\*](#) Northern pine sphinx

[\*Manduca quinquemaculata\*](#) Five-spotted hawkmoth

[\*Ceratomia undulosa\*](#) Waved sphinx

[\*Ceratomia catalpae\*](#) Catalpa sphinx

[\*Paonias myops\*](#) Small-eyed sphinx

[\*Smerinthus jamaicensis\*](#) Twin-spotted sphinx

[\*Hemaris diffinis\*](#) Snowberry Clearwing

[\*Hyles lineata\*](#) White-lined Sphinx

[\*Peridea angulosa\*](#) Angulose Prominent

[\*Pheosia rimosa\*](#) Black-rimmed Prominent

[\*Clostera albosigma\*](#) Sigmoid Prominent

[\*Furcula borealis\*](#) White Furcula

[\*Ponometia erastrioides\*](#) Small Bird-dropping Moth

[\*Ponometia candeffecta\*](#) Olive-shaded Bird-dropping Moth

[\*Simyra insularis\*](#) Henry's Marsh Moth

[\*Acronicta americana\*](#) American Dagger Moth

[\*Galgula partita\*](#) The Wedgling

[\*Ipimorpha pleonectusa\*](#) Even-lined Sallow

[\*Crambodes talidiformis\*](#) Verbena Moth

[\*Amphipyra pyramidoides\*](#) Copper Underwing

[\*Cucullia asteroides\*](#) The Asteroid

[\*Protodeltote albidula\*](#) Pale Glyph Moth

[\*Maliattha synochitis\*](#) Black-dotted Maliattha

[\*Pseudeustrotia carneola\*](#) Pink-barred Pseudeustrotia

[\*Panthea furcilla\*](#) Eastern Panthea

[\*Anagrapha falcifera\*](#) Celery Looper Moth

[\*Polia purpurissata\*](#) Purple Arches

[\*Lacinipolia renigera\*](#) Bristly Cutworm Moth

[\*Mythimna unipuncta\*](#) Armyworm Moth

[\*Trichordestra legitima\*](#) Striped Garden Caterpillar

[\*Anarta trifolii\*](#) The Nutmeg

[\*Melanchra picta\*](#) Zebra Caterpillar Moth

[\*Feltia jaculifera\*](#) Dingy Cutworm Moth

[\*Cosmia calami\*](#) American dun-bar Moth

[\*Enargia decolor\*](#) Pale Enargia

[\*Noctua pronuba\*](#) European Yellow Underwing

[\*Agrotis vetusta\*](#) Old Man Dart

[\*Abagrotis alternata\*](#) Greater Red Dart

[\*Phlogophora periculosa\*](#) Brown Angle Shades

[\*Agrotis ipsilon\*](#) Ipsilon Dart

[\*Schinia arcigera\*](#) Arcigera Flower Moth

[\*Helicoverpa zea\*](#) Corn Earworm Moth

[\*Psychomorpha epimenis\*](#) Grapevine Epimenis

[\*Grammia arge\*](#) Arge Tiger Moth

[\*Halysidota sp.\*](#)

[\*Virbia aurantiaca\*](#) Orange Holomelina

[\*Grammia parthenice\*](#) Parthenice Tiger Moth

[\*Estigmene acrea\*](#) Salt Marsh Moth or Acrea Moth

[\*Hypercompe scribonia\*](#) Great Leopard Moth

[\*Cisseps fulvicollis\*](#) Yellow-collared Scape Moth

[\*Spilosoma virginica\*](#) Virginian Tiger Moth or Yellow Woollybear Moth

[\*Phragmatobia fuliginosa\*](#) Ruby Tiger Moth

[\*Pyrrharctia isabella\*](#) Isabella Tiger Moth or Banded Woollybear

www.butterfliesandmoths.org



# Butterflies and Moths of North America



[\*Hypoprepia fuscata\*](#) Painted Lichen Moth

[\*Euchaetes egle\*](#) Milkweed Tussock Moth or Milkweed Tiger Moth

[\*Grammia virgo\*](#) Virgin Tiger Moth

[\*Phalaenostola larentioides\*](#) Black-banded Owllet Moth

[\*Zanclognatha marcidilinea\*](#) Yellowish Zanclognatha

[\*Phalaenostola metonalis\*](#) Pale Epidelta Moth

[\*Palthis angulalis\*](#) Dark-spotted Palthis Moth

[\*Idia aemula\*](#) Common Idia Moth

[\*Hypena baltimoralis\*](#) Baltimore Bomolocha Moth

[\*Hypena scabra\*](#) Green Cloverworm Moth

[\*Catocala lineella\*](#) Girlfriend Underwing

[\*Catocala ultronia\*](#) Ultronia Underwing

[\*Catocala subnata\*](#) Youthful Underwing Moth

[\*Catocala relictata\*](#) White Underwing

[\*Caenurgina erechtea\*](#) Forage Looper Moth

[\*Catocala piatrix\*](#) The Penitent Underwing

[\*Caenurgina sp.\*](#)

[\*Rivula propinqualis\*](#) Spotted Grass Moth

[\*Epicallima argenticinctella\*](#)

[\*Xylesthia pruniramiella\*](#)

[\*Monopis spilotella\*](#)

[\*Parornix sp.\*](#) Unidentified Parornix Moths

[\*Limnaecia phragmitella\*](#) Shy Cosmet

[\*Metzneria lappella\*](#) Burdock Seedhead Moth

[\*Plutella xylostella\*](#) Diamondback Moth

[\*Prionoxystus robiniae\*](#) Carpenterworm Moth

[\*Cydia pomonella\*](#) Codling Moth

[\*Celypha cespitana\*](#)

[\*Olethreutes tilianum\*](#)

[\*Argyrotaenia velutinana\*](#) Red Banded Leafroller Moth

[\*Sparganothis tristriata\*](#) Three-streaked Sparganothis Moth

[\*Sparganothis sulfureana\*](#) Sparganothis Fruitworm Moth

[\*Sparganothis unifasciana\*](#)

[\*Clepsia peritana\*](#) Garden Tortrix

[\*Choristoneura rosaceana\*](#) Oblique-banded Leafroller Moth

[\*Prolimacodes badia\*](#) Skiff Moth

[\*Euclea delphinii\*](#) Spiny Oak-slug Moth

[\*Tortricidia pallida\*](#) Red-Crossed Button Slug

[\*Parapoynx badiusalis\*](#)

[\*Microcrambus elegans\*](#) Elegant Grass-vener

[\*Crambus agitatellus\*](#)

[\*Chrysoteuchia topiaria\*](#)

[\*Platytes vobisne\*](#)

[\*Pediasia trisecta\*](#) Sod Webworm Moth

[\*Urola nivalis\*](#)

[\*Glaphyria sequistrialis\*](#) White-roped Glaphyria

[\*Herpetogramma abdominalis\*](#)

[\*Herpetogramma thestealis\*](#)

[\*Nomophila nearctica\*](#) Lucerne Moth

[\*Ostrinia nubilalis\*](#) European Corn Borer Moth

[\*Lygropia rivulalis\*](#)

[\*Loxostege cereralis\*](#)

[\*Desmia funeralis\*](#) Grape Leafroller Moth

[\*Arta statalis\*](#)

[\*Pyralis farinalis\*](#) Meal Moth

# Butterflies and Moths of North America



[Hypsopygia costalis](#) Clover Hayworm Moth

[Hypsopygia olinalis](#)

[Geina tenuidactyla](#) Himmelman's Plume Moth

[Archicaris infans](#) The Infant

[Nematocampa resistaria](#) Horned Spanworm Moth

[Digrammia continuata](#) Curve-lined Angle

[Ectropis crepuscularia](#) The Small Engrailed

[Campaea perlata](#) Pale Beauty

[Heliomata cycladata](#) Common Spring Moth

[Lytrosis unitaria](#) Common Lytrosis

[Metanema inatomaria](#) Pale Metanema

[Nepytia canosaria](#) False Hemlock Looper Moth

[Speranza pustularia](#) Lesser Maple Spanworm Moth

[Iridopsis humaria](#) Small Purplish Gray

[Xanthotype sp.](#)

[Eugonobapta nivosaria](#) Snowy Geometer

[Biston betularia](#) Pepper and Salt Geometer

[Protitame virginialis](#) Virgin moth

[Euchlaena serrata](#) The Saw Wing

[Macaria bisignata](#) Red-headed inchworm

[Besma quercivoraria](#) Oak Besma

[Anavitrinella pampinaria](#) Common Gray

[Chlorochlamys chloroleucaria](#) Blackberry Looper Moth

[Synchlora aerata](#) Wavy-lined Emerald

[Horisme intestinata](#) Brown Bark Carpet

[Orthonama obstipata](#) The Gem

[Xanthorhoe ferrugata](#) Red Twin-spot

[Mesoleuca ruficillata](#) White-ribboned Carpet Moth

[Euphyia intermediata](#) Sharp-angled Carpet

[Eubaphe mendica](#) The Beggar

[Eupithecia miserulata](#)

[Eulithis sp.](#)

[Haematopis grataria](#) Chickweed Geometer

[Scopula limboundata](#) Large Lace-border

[Scopula inductata](#) Soft-lined Wave

[Malacosoma americanum](#) Eastern Tent Caterpillar Moth