

# Butterflies and Moths of North America



www.butterfliesandmoths.org

[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Thorybes pylades\*](#) Northern Cloudywing  
[\*Thorybes bathyllus\*](#) Southern Cloudywing  
[\*Erynnis icelus\*](#) Dreamy Duskywing  
[\*Erynnis brizo\*](#) Sleepy Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Erynnis baptisiae\*](#) Wild Indigo Duskywing  
[\*Erynnis lucilius\*](#) Columbine Duskywing  
[\*Erynnis persius\*](#) Persius Duskywing  
[\*Pholisora catullus\*](#) Common Sootywing  
[\*Carterocephalus palaemon\*](#) Arctic Skipper  
[\*Ancyloxypha numitor\*](#) Least Skipper  
[\*Thymelicus lineola\*](#) European Skipper  
[\*Hesperia leonardus\*](#) Leonard's Skipper  
[\*Hesperia metea\*](#) Cobweb Skipper  
[\*Hesperia sassacus\*](#) Indian Skipper  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Polites themistocles\*](#) Tawny-edged Skipper  
[\*Polites origenes\*](#) Crossline Skipper  
[\*Polites mystic\*](#) Long Dash  
[\*Wallengrenia egeremet\*](#) Northern Broken-Dash  
[\*Anatrytone logan\*](#) Delaware Skipper  
[\*Poanes hobomok\*](#) Hobomok Skipper  
[\*Poanes massasoit\*](#) Mulberry Wing  
[\*Euphyes conspicua\*](#) Black Dash  
[\*Euphyes bimacula\*](#) Two-spotted Skipper  
[\*Euphyes vestris\*](#) Dun Skipper  
[\*Atrytonopsis hianna\*](#) Dusted Skipper  
[\*Amblyscirtes hegon\*](#) Pepper and Salt Skipper  
[\*Amblyscirtes vialis\*](#) Common Roadside-Skipper  
[\*Battus philenor\*](#) Pipevine Swallowtail  
[\*Papilio polyxenes\*](#) Black Swallowtail  
[\*Papilio canadensis\*](#) Canadian Tiger Swallowtail  
[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail  
[\*Papilio troilus\*](#) Spicebush Swallowtail  
[\*Pieris oleracea\*](#) Mustard White  
[\*Pieris rapae\*](#) Cabbage White  
[\*Colias philodice\*](#) Clouded Sulphur  
[\*Colias eurytheme\*](#) Orange Sulphur  
[\*Zerene cesonia\*](#) Southern Dogface  
[\*Pyrisitia lisa\*](#) Little Yellow  
[\*Feniseca tarquinius\*](#) Harvester  
[\*Lycaena phlaeas\*](#) American Copper  
[\*Lycaena hyllus\*](#) Bronze Copper  
[\*Lycaena epixanthe\*](#) Bog Copper  
[\*Callophrys augustinus\*](#) Brown Elfin  
[\*Callophrys irus\*](#) Frosted Elfin


# Butterflies and Moths of North America



- [\*Callophrys henrici\*](#) Henry's Elfin  
[\*Callophrys niphon\*](#) Eastern Pine Elfin  
[\*Satyrium tifus\*](#) Coral Hairstreak  
[\*Satyrium acadica\*](#) Acadian Hairstreak  
[\*Satyrium edwardsii\*](#) Edwards' Hairstreak  
[\*Satyrium calanus\*](#) Banded Hairstreak  
[\*Satyrium liparops\*](#) Striped Hairstreak  
[\*Strymon melinus\*](#) Gray Hairstreak  
[\*Leptotes marina\*](#) Marine Blue  
[\*Cupido comyntas\*](#) Eastern Tailed-Blue  
[\*Celastrina ladon\*](#) Spring Azure  
[\*Celastrina neglecta\*](#) Summer Azure  
[\*Glaucopsyche lygdamus\*](#) Silvery Blue  
[\*Plebejus melissa\*](#) Melissa Blue (includes Karner Blue)  
[\*Danaus plexippus\*](#) Monarch  
[\*Euptoieta claudia\*](#) Variegated Fritillary  
[\*Speyeria cybele\*](#) Great Spangled Fritillary  
[\*Speyeria aphrodite\*](#) Aphrodite Fritillary  
[\*Speyeria idalia\*](#) Regal Fritillary  
[\*Speyeria atlantis\*](#) Atlantis Fritillary  
[\*Boloria selene\*](#) Silver-bordered Fritillary  
[\*Boloria bellona\*](#) Meadow Fritillary  
[\*Limenitis arthemis\*](#) Red-spotted Purple or White Admiral  
[\*Limenitis arthemis arthemis\*](#) White Admiral  
[\*Limenitis arthemis astyanax\*](#) 'Astyanax' Red-spotted Purple  
[\*Limenitis archippus\*](#) Viceroy  
[\*Chlosyne nycteis\*](#) Silvery Checkerspot  
[\*Chlosyne harrisii\*](#) Harris' Checkerspot  
[\*Phyciodes tharos\*](#) Pearl Crescent  
[\*Phyciodes cocyta\*](#) Northern Crescent  
[\*Euphydryas phaeton\*](#) Baltimore Checkerspot  
[\*Junonia coenia\*](#) Common Buckeye  
[\*Polygonia interrogationis\*](#) Question Mark  
[\*Polygonia comma\*](#) Eastern Comma  
[\*Polygonia faunus\*](#) Green Comma  
[\*Polygonia progne\*](#) Gray Comma  
[\*Aglais milberti\*](#) Milbert's Tortoiseshell  
[\*Nymphalis vaualbum\*](#) Compton Tortoiseshell  
[\*Nymphalis antiopa\*](#) Mourning Cloak  
[\*Vanessa virginiensis\*](#) American Lady  
[\*Vanessa cardui\*](#) Painted Lady  
[\*Vanessa atalanta\*](#) Red Admiral  
[\*Enodia anthedon\*](#) Northern Pearly-eye  
[\*Satyrodes eurydice\*](#) Eyed Brown  
[\*Coenonympha tullia\*](#) Common Ringlet  
[\*Megisto cymela\*](#) Little Wood-Satyr  
[\*Cercyonis pegala\*](#) Common Wood-Nymph  
[\*Oreta rosea\*](#) Rose Hooktip  
[\*Hemileuca lucina\*](#) New England buckmoth  
[\*Hemileuca maia\*](#) Eastern buckmoth  
[\*Actias luna\*](#) Luna moth  
[\*Callosamia promethea\*](#) Promethea silkmoth  
[\*Hyalophora cecropia\*](#) Cecropia silkmoth  
[\*Antheraea polyphemus\*](#) Polyphemus moth  
[\*Dryocampa rubicunda\*](#) Rosy maple moth

www.butterfliesandmoths.org


# Butterflies and Moths of North America



- [Anisota senatoria](#) Orange-tipped oakworm moth  
[Anisota stigma](#) Spiny oakworm moth  
[Anisota virginienis](#) Pink-striped oakworm moth  
[Citheronia sepulcralis](#) Pine-devil Moth  
[Lapara bombycoides](#) Northern pine sphinx  
[Sphinx drupiferarum](#) Wild cherry sphinx  
[Lapara coniferarum](#) Southern pine sphinx  
[Sphinx kalmiae](#) Laurel sphinx  
[Pachysphinx modesta](#) Modest sphinx  
[Sphinx poecila](#) Poecila sphinx  
[Paonias excaecata](#) Blinded sphinx  
[Ceratomia amyntor](#) Elm sphinx  
[Paonias myops](#) Small-eyed sphinx  
[Ceratomia undulosa](#) Waved sphinx  
[Smerinthus cerisyi](#) One-eyed sphinx  
[Smerinthus jamaicensis](#) Twin-spotted sphinx  
[Dolba hyloeus](#) Pawpaw sphinx  
[Amorpha juglandis](#) Walnut sphinx  
[Sphinx chersis](#) Great ash sphinx  
[Hemaris diffinis](#) Snowberry Clearwing  
[Hemaris gracilis](#) Slender clearwing  
[Cautethia grotei](#) Grote's sphinx  
[Hemaris thysbe](#) Hummingbird Clearwing  
[Darapsa myron](#) Virginia creeper sphinx  
[Darapsa choerilus \(pholus\)](#) Azalea Sphinx  
[Hyles gallii](#) Bedstraw hawkmoth  
[Eumorpha pandorus](#) Pandorus Sphinx  
[Amphion floridensis](#) Nessus sphinx  
[Heterocampa biundata](#) Wavy-lined Heterocampa  
[Gluphisia lintneri](#)  
[Pheosia rimosa](#) Black-rimmed Prominent  
[Heterocampa umbrata](#) White-blotched Heterocampa  
[Lochmaeus manteo](#) Variable Oakleaf Caterpillar Moth  
[Acronicta americana](#) American Dagger Moth  
[Amphipyra pyramidoides](#) Copper Underwing  
[Sympistis perscripta](#) Scribbled Sallow  
[Feralia comstocki](#) Comstock's Sallow  
[Panthea acronyctoides](#) Black Zigzag  
[Autographa californica](#)  
[Agrotis venerabilis](#) Venerable Dart  
[Noctua pronuba](#) European Yellow Underwing  
[Phlogophora periculosa](#) Brown Angle Shades  
[Virbia lamae](#) Bog Holomelina  
[Lophocampa caryae](#) Hickory Tussock Moth or Hickory Tiger Moth  
[Phragmatobia lineata](#) Lined Ruby Tiger Moth  
[Spilosoma virginica](#) Virginian Tiger Moth or Yellow Woollybear Moth  
[Apantesis phalerata](#) Harnessed Moth  
[Halysidota tessellaris](#) Banded Tussock Moth or Pale Tiger Moth  
[Hypoprepia fucosa](#) Painted Lichen Moth  
[Eilema bicolor](#) Bicolored Moth  
[Euchaetes egle](#) Milkweed Tussock Moth or Milkweed Tiger Moth  
[Virbia ferruginosa](#) Rusty Holomelina  
[Pyrrharctia isabella](#) Isabella Tiger Moth or Banded Woollybear  
[Haploa clymene](#) Clymene Moth  
[Chytolita morbidalis](#) Morbid Owlet Moth

www.butterfliesandmoths.org

# Butterflies and Moths of North America



- [\*Euclidia craspidea\*](#) Toothed Slobberwing  
[\*Paralellia bistriaris\*](#) Maple Looper Moth  
[\*Caenurgina crassiuscula\*](#) Clover Looper Moth  
[\*Orgyia definita\*](#) Definite Tussock Moth  
[\*Orgyia leucostigma\*](#) White-marked Tussock Moth  
[\*Psyche casta\*](#) Common Bagworm Moth  
[\*Alcathoe caudata\*](#) Clematis Clearwing Moth  
[\*Zeuzera pyrina\*](#) Leopard Moth  
[\*Petrophila fulcalis\*](#) Feather-edged Petrophila  
[\*Loxostege sticticalis\*](#) Beet Webworm Moth  
[\*Anania funebris\*](#) White Spotted Sable Moth  
[\*Herpetogramma abdominalis\*](#)  
[\*Hellinsia homodactylus\*](#)  
[\*Archiearis infans\*](#) The Infant  
[\*Petrophora subaequaria\*](#) Northern Petrophora  
[\*Eusarca confusaria\*](#) Confused Eusarca  
[\*Macaria bisignata\*](#) Red-headed inchworm  
[\*Ennomos subsignaria\*](#) Elm Spanworm Moth  
[\*Biston betularia\*](#) Pepper and Salt Geometer  
[\*Eutrapela clemataria\*](#) Curved-Toothed Geometer  
[\*Xanthotype sp.\*](#)  
[\*Speranza pustularia\*](#) Lesser Maple Spanworm Moth  
[\*Metarranthis indeclinata\*](#) Pale Metarranthis  
[\*Nemoria bistriaria\*](#) Red-fringed Emerald  
[\*Synchlora aerata\*](#) Wavy-Lined Emerald  
[\*Trichodezia albovittata\*](#) White-striped Black  
[\*Euphyia intermediata\*](#) Sharp-angled Carpet  
[\*Scopula limboundata\*](#) Large Lace-border  
[\*Malacosoma americanum\*](#) Eastern Tent Caterpillar Moth

www.butterfliesandmoths.org