

# Butterflies and Moths of North America



[www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[\*Epargyreus clarus\*](#) Silver-spotted Skipper  
[\*Thorybes pylades\*](#) Northern Cloudywing  
[\*Erynnis icelus\*](#) Dreamy Duskywing  
[\*Erynnis brizo\*](#) Sleepy Duskywing  
[\*Erynnis juvenalis\*](#) Juvenal's Duskywing  
[\*Erynnis horatius\*](#) Horace's Duskywing  
[\*Pyrgus communis\*](#) Common Checkered-Skipper  
[\*Pholisora catullus\*](#) Common Sootywing  
[\*Carterocephalus palaemon\*](#) Arctic Skipper  
[\*Ancyloxypha numitor\*](#) Least Skipper  
[\*Thymelicus lineola\*](#) European Skipper  
[\*Hylephila phyleus\*](#) Fiery Skipper  
[\*Hesperia comma\*](#) Common Branded Skipper  
[\*Hesperia leonardus\*](#) Leonard's Skipper  
[\*Atalopedes campestris\*](#) Sachem  
[\*Polites peckius\*](#) Peck's Skipper  
[\*Polites themistocles\*](#) Tawny-edged Skipper  
[\*Polites mystic\*](#) Long Dash  
[\*Wallengrenia egeremet\*](#) Northern Broken-Dash  
[\*Pompeius verna\*](#) Little Glassywing  
[\*Anatrytone logan\*](#) Delaware Skipper  
[\*Poanes hobomok\*](#) Hobomok Skipper  
[\*Poanes massasoit\*](#) Mulberry Wing  
[\*Poanes viator\*](#) Broad-winged Skipper  
[\*Euphyes conspicua\*](#) Black Dash  
[\*Euphyes dion\*](#) Dion Skipper  
[\*Euphyes bimacula\*](#) Two-spotted Skipper  
[\*Euphyes vestris\*](#) Dun Skipper  
[\*Atrytonopsis hianna\*](#) Dusted Skipper  
[\*Amblyscirtes hegon\*](#) Pepper and Salt Skipper  
[\*Papilio polyxenes\*](#) Black Swallowtail  
[\*Papilio canadensis\*](#) Canadian Tiger Swallowtail  
[\*Papilio glaucus\*](#) Eastern Tiger Swallowtail  
[\*Papilio cressphontes\*](#) Giant Swallowtail  
[\*Pieris oleracea\*](#) Mustard White  
[\*Pieris rapae\*](#) Cabbage White  
[\*Pontia protodice\*](#) Checkered White  
[\*Colias philodice\*](#) Clouded Sulphur  
[\*Colias eurytheme\*](#) Orange Sulphur  
[\*Zerene cesonia\*](#) Southern Dogface  
[\*Eurema mexicana\*](#) Mexican Yellow  
[\*Pyrisitia lisa\*](#) Little Yellow  
[\*Nathalis iole\*](#) Dainty Sulphur  
[\*Feniseca tarquinius\*](#) Harvester  
[\*Lycaena phlaeas\*](#) American Copper  
[\*Lycaena hyllus\*](#) Bronze Copper  
[\*Lycaena epixanthe\*](#) Bog Copper

# Butterflies and Moths of North America



- [\*Lycaena helloides\*](#) Purplish Copper  
[\*Callophrys gryneus\*](#) Juniper Hairstreak  
[\*Satyrium tifus\*](#) Coral Hairstreak  
[\*Satyrium acadica\*](#) Acadian Hairstreak  
[\*Satyrium edwardsii\*](#) Edwards' Hairstreak  
[\*Satyrium calanus\*](#) Banded Hairstreak  
[\*Satyrium liparops\*](#) Striped Hairstreak  
[\*Cupido comyntas\*](#) Eastern Tailed-Blue  
[\*Celastrina ladon\*](#) Spring Azure  
[\*Celastrina neglecta\*](#) Summer Azure  
[\*Glaucopsyche lygdamus\*](#) Silvery Blue  
[\*Plebejus melissa\*](#) Melissa Blue (includes Karner Blue)  
[\*Plebejus saepiolus\*](#) Greenish Blue  
[\*Danaus plexippus\*](#) Monarch  
[\*Euptoietia claudia\*](#) Variegated Fritillary  
[\*Speyeria cybele\*](#) Great Spangled Fritillary  
[\*Speyeria aphrodite\*](#) Aphrodite Fritillary  
[\*Speyeria idalia\*](#) Regal Fritillary  
[\*Boloria selene\*](#) Silver-bordered Fritillary  
[\*Boloria bellona\*](#) Meadow Fritillary  
[\*Limenitis arthemis\*](#) Red-spotted Purple or White Admiral  
[\*Limenitis arthemis arthemis\*](#) White Admiral  
[\*Limenitis arthemis astyanax\*](#) 'Astyanax' Red-spotted Purple  
[\*Limenitis archippus\*](#) Viceroy  
[\*Asterocampa celtis\*](#) Hackberry Emperor  
[\*Chlosyne nycteis\*](#) Silvery Checkerspot  
[\*Chlosyne harrisii\*](#) Harris' Checkerspot  
[\*Phyciodes tharos\*](#) Pearl Crescent  
[\*Phyciodes cocyta\*](#) Northern Crescent  
[\*Euphydryas phaeton\*](#) Baltimore Checkerspot  
[\*Polygonia interrogationis\*](#) Question Mark  
[\*Polygonia comma\*](#) Eastern Comma  
[\*Polygonia progne\*](#) Gray Comma  
[\*Aglais milberti\*](#) Milbert's Tortoiseshell  
[\*Nymphalis antiopa\*](#) Mourning Cloak  
[\*Vanessa atalanta\*](#) Red Admiral  
[\*Vanessa cardui\*](#) Painted Lady  
[\*Vanessa virginiensis\*](#) American Lady  
[\*Enodia anthedon\*](#) Northern Pearly-eye  
[\*Satyrodes eurydice\*](#) Eyed Brown  
[\*Coenonympha tullia\*](#) Common Ringlet  
[\*Megisto cymela\*](#) Little Wood-Satyr  
[\*Cercyonis pegala\*](#) Common Wood-Nymph  
[\*Hemileuca nevadensis\*](#) Nevada buckmoth  
[\*Hyalophora cecropia\*](#) Cecropia silkmoth  
[\*Antheraea polyphemus\*](#) Polyphemus moth  
[\*Pachysphinx modesta\*](#) Modest sphinx  
[\*Paonias myops\*](#) Small-eyed sphinx  
[\*Sphinx drupiferarum\*](#) Wild cherry sphinx  
[\*Paonias excaecata\*](#) Blinded sphinx  
[\*Ceratomia undulosa\*](#) Waved sphinx  
[\*Hyles euphorbiae\*](#) Spurge hawkmoth  
[\*Eumorpha achemon\*](#) Achemon sphinx  
[\*Eumorpha pandorus\*](#) Pandorus Sphinx  
[\*Hyles lineata\*](#) White-lined Sphinx

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[Gluphisia septentrionis](#) Common Gluphisia

[Protodeltote muscosula](#) Large Mossy Lithacodia

[Ponometa candefacta](#) Olive-shaded Bird-dropping Moth

[Homophoberia apicosa](#) Black Wedge-spot

[Leuconycta lepidula](#) Marbled-green Leuconycta Moth

[Acronicta vulpina](#) Miller Dagger Moth

[Acronicta americana](#) American Dagger Moth

[Amphipyra pyramidoides](#) Copper Underwing

[Galgula partita](#) The Wedgling

[Neoligia exhausta](#) Exhausted Brocade

[Papaipema arctivorens](#) Northern Burdock Borer Moth

[Condica vecors](#) Dusky Groundling

[Callopietria mollissima](#) Pink-shaded Fern Moth

[Papaipema cataphracta](#) Burdock Borer Moth

[Papaipema rigida](#) Rigid Sunflower Borer Moth

[Spodoptera ornithogalli](#) Yellow-striped Armyworm Moth

[Sunira bicolorago](#) Bicolored Sallow

[Pseudeustrotia carneola](#) Pink-barred Pseudeustrotia

[Autographa precationis](#) The Common Looper Moth

[Anarta trifolii](#) The Nutmeg

[Dargida diffusa](#) Wheat Head Armyworm Moth

[Mythimna unipuncta](#) Armyworm Moth

[Archanara oblonga](#) Oblong Sedge Borer Moth

[Leucania multilinea](#) Many-lined Wainscot

[Lacinipolia renigera](#) Bristly Cutworm Moth

[Nephelodes minians](#) Bronzed Cutworm Moth

[Tricholita signata](#) Signate Quaker

[Euxoa velleripennis](#) Fleece-winged Dart

[Agrotis ipsilon](#) Ipsilon Dart

[Lateroligia ophiogramma](#)

[Ochropleura implecta](#) American Flame-shouldered Dart

[Xestia dolosa](#) Greater Black-letter Dart

[Agnorisma badinodis](#) Pale-banded Dart

[Pseudohermonassa bicarnea](#) Pink-spotted Dart

[Protolampra brunneicollis](#) Brown-collared Dart

[Raphia frater](#) The Brother Moth

[Schinia florida](#) Primrose Moth

[Eudryas unio](#) Pearly Wood-nymph

[Alypia octomaculata](#) Eight-spotted Forester

[Grammia virgo](#) Virgin Tiger Moth

[Spilosoma virginica](#) Virginian Tiger Moth or Yellow Woollybear Moth

[Crambidia pallida](#) Pale Lichen Moth

[Grammia parthenice](#) Parthenice Tiger Moth

[Phragmatobia fuliginosa](#) Ruby Tiger Moth

[Haploa confusa](#) Confused Haploa

[Haploa contigua](#) The Neighbor

[Euchaetes egle](#) Milkweed Tussock Moth or Milkweed Tiger Moth

[Palthis angulalis](#) Dark-spotted Palthis Moth

[Idia lubricalis](#) Glossy Black Idia Moth

[Phalaenostola eumelusalis](#) Dark Phalaenostola Moth

[Phalaenophana pyramusalis](#) Dark-banded Owlet Moth

[Macrochilo louisiana](#) Louisiana Macrochilo

[Macrochilo absorptalis](#) Slant-lined Owlet Moth

[Macrochilo orciferalis](#) Bronzy Macrochilo Moth

[Idia americalis](#) American Idia Moth

www.butterfliesandmoths.org



# Butterflies and Moths of North America

[\*Bleptina caradinalis\*](#) Bent-winged Owlet Moth

[\*Idia aemula\*](#) Common Idia Moth

[\*Lascoria ambiguilis\*](#) Ambiguous Moth

[\*Hypena atomaria\*](#)

[\*Hypena scabra\*](#) Green Cloverworm Moth

[\*Hyphenodes fractilinea\*](#) Broken-lined Hyphenodes Moth

[\*Euclidia cuspidea\*](#) Toothed Somberwing

[\*Caenurgina erectea\*](#) Forage Looper Moth

[\*Catocala amatrix\*](#) Sweetheart Underwing

[\*Caenurgina crassiuscula\*](#) Clover Looper Moth

[\*Zale galbanata\*](#) Maple Zale

[\*Orgyia definita\*](#) Definite Tussock Moth

[\*Orgyia leucostigma\*](#) White-marked Tussock Moth

[\*Meganola spodia\*](#) Ashy Meganola

[\*Meganola minuscula\*](#) Confused Meganola

[\*Epicallima argenticinctella\*](#)

[\*Blastobasis glandulella\*](#) Acorn Moth

[\*Plutella xylostella\*](#) Diamondback Moth

[\*Olethreutes tilianum\*](#)

[\*Celypha cespitana\*](#)

[\*Epiblema otiosana\*](#) Bidens Borer Moth

[\*Apotomis deceptana\*](#) Deceptive Apotomis

[\*Adoxophyes negundana\*](#)

[\*Acleris albicomana\*](#) Red-edged Acleris Moth

[\*Acleris semiannula\*](#)

[\*Acleris maccana\*](#)

[\*Pandemis limitata\*](#) Three-lined Leafroller Moth

[\*Clepsis clemensiana\*](#)

[\*Tortricidia pallida\*](#) Red-Crossed Button Slug

[\*Elophila icciusalis\*](#) Pondsides Pyralid

[\*Elophila gyralis\*](#)

[\*Elophila oblitalis\*](#) Waterlily Leafcutter Moth

[\*Parapoynx badiusalis\*](#)

[\*Petrophila fulcalis\*](#) Feather-edged Petrophila

[\*Agriphila ruricolellus\*](#)

[\*Agriphila vulgivagella\*](#)

[\*Chrysoteuchia topiaria\*](#)

[\*Crambus praefectellus\*](#) Common Grass-veneer Moth

[\*Neodactria murellus\*](#)

[\*Thaumatopsis edonis\*](#)

[\*Microcrambus elegans\*](#) Elegant Grass-veneer

[\*Pediasia trisecta\*](#) Sod Webworm Moth

[\*Nomophila nearctica\*](#) Lucerne Moth

[\*Anania funebris\*](#) White Spotted Sable Moth

[\*Loxostege cereralis\*](#)

[\*Pyrausta signatalis\*](#)

[\*Pyrausta generosa\*](#)

[\*Lygropia rivulalis\*](#)

[\*Herpetogramma abdominalis\*](#)

[\*Desmia funeralis/maculalis\*](#)

[\*Pyrausta pythialis\*](#)

[\*Scoparia biplagialis\*](#)

[\*Arta statalis\*](#)

[\*Pococera expandens\*](#) Double-humped Pococera Moth

[\*Phycitodes reliquella\*](#)

www.butterfliesandmoths.org

# Butterflies and Moths of North America



[\*Aglossa disciferalis\*](#) Pink-masked Pyralid Moth

[\*Platypilla carduidactyla\*](#) Artichoke Plume Moth

[\*Eusarca confusaria\*](#) Confused Euisarca

[\*Prochoerodes lineola\*](#) Large Maple Spanworm Moth

[\*Erannis tiliaria\*](#) Linden Looper Moth

[\*Speranza andersoni\*](#)

[www.butterfliesandmoths.org](http://www.butterfliesandmoths.org)

[\*Digrammia gnophosaria\*](#) Hollow-spotted Angle

[\*Speranza pustularia\*](#) Lesser Maple Spanworm Moth

[\*Macaria aemulataria\*](#) Common Angle

[\*Ectropis crepuscularia\*](#) The Small Engrailed

[\*Cabera variolaria\*](#) Pink-striped Willow Spanworm

[\*Digrammia continuata\*](#) Curve-lined Angle

[\*Xanthotype sp.\*](#)

[\*Synchlora aerata\*](#) Wavy-Lined Emerald

[\*Chlorochlamys chloroleucaria\*](#) Blackberry Looper Moth

[\*Costaconvexa centrostrigaria\*](#) The Bent-line Carpet

[\*Mesoleuca ruficillata\*](#) White-ribbed Carpet Moth

[\*Euphyia intermediata\*](#) Sharp-angled Carpet

[\*Orthonama obstipata\*](#) The Gem

[\*Alsophila pometaria\*](#) Fall Cankerworm Moth

[\*Haematopis grataria\*](#) Chickweed Geometer